# Achieving $\frac{1}{2}\log(1 + \text{SNR})$ on the AWGN Channel with Lattice Encoding and Decoding

Uri Erez and Ram Zamir \*
Dept. of Elect. Eng. - Systems, Tel Aviv University, ISRAEL
Submitted to IEEE tr. Info. Theory May 2001,
revised Oct. 2003 and April 2004

May 30, 2004

#### Abstract

We address an open question, regarding whether a lattice code with lattice decoding (as opposed to maximum likelihood decoding) can achieve the AWGN channel capacity. We first demonstrate how MMSE scaling along with dithering (lattice randomization) techniques can transform the power constrained AWGN channel into a modulo-lattice additive noise channel, whose effective noise is reduced by a factor of  $\sqrt{\frac{1+SNR}{SNR}}$ . For the resulting channel, a uniform input maximizes mutual-information, which in the limit of large lattice dimension becomes  $\frac{1}{2}\log(1+SNR)$ , i.e., the full capacity of the original power constrained AWGN channel. We then show that capacity may also be achieved using nested lattice codes, the coarse lattice serving for shaping via the modulo-lattice transformation, the fine lattice for channel coding. We show that such pairs exist for any desired nesting ratio, i.e., for any SNR.

<sup>\*</sup>Parts of this work were presented in ISIT 2001, Washington D.C., and at ISIT 2002, Lausanne, Switzerland. This work was supported in part by the Israel Academy of Science #65/01.

Furthermore, for the modulo lattice additive noise channel lattice decoding is optimal. Finally, we show that the error exponent of the proposed scheme is lower bounded by the Poltyrev exponent.

**Keywords:** AWGN channel, Poltyrev exponent, MMSE estimation, random lattice ensemble, lattice decoding, Euclidean distance, nested codes, dither, shaping, dirty paper channel.

#### 1 Introduction

The search for low complexity, structured encoding and decoding for the Additive White Gaussian Noise (AWGN) channel

$$Y = X + N, \quad N \sim \mathcal{N}(0, P_N) \tag{1}$$

inspired the minds of researchers and continues to challenge the communication community today [20, 4]. The goal is to find codes with rates approaching capacity

$$C = \frac{1}{2}\log(1 + \text{SNR}),\tag{2}$$

which allow for decoding with low probability of error at affordable complexity. It is desired to accomplish that for any signal-to-noise ratio SNR =  $P_X/P_N$ , i.e., under any power constraint  $P_X > 0$  on the transmitted signal  $X_1, \ldots, X_n$ :

$$\frac{1}{n} \sum_{i=1}^{n} X_i^2 \le P_X. \tag{3}$$

There are two aspects to signal space codebook design for the power constrained AWGN channel. The granular structure of the codebook corresponds to the intercodeword Euclidean distances, hence it determines the decoding error probability. The structure of the *shaping region* of the codebook determines the power-volume tradeoff, hence the gap from capacity [16].

Several different approaches for using structured codes for the AWGN channel correspond to different ways of taking into account the power constraint. Shannon's

theory suggests that the codewords of a good code should look like realizations of a zero mean i.i.d. Gaussian source with power  $P_X$ . For large codebook dimension n, this is equivalent to a uniform distribution over a sphere of radius  $\sqrt{nP_X}$ . Slepian considered the use of group codes for the AWGN channel in [28], where the codewords lie on the surface of this sphere of radius  $\sqrt{nP_X}$ .

The central line of development in the application of lattices for the AWGN channel, and the most directly related to the problem we study, originated however in the work of de Buda. De Buda's theorem [9] states that a spherical lattice code, i.e., a code with second moment  $P_X$ , which is the intersection of a lattice with a sphere, can approach arbitrarily closely (in the limit of high dimension) the AWGN channel capacity. To achieve the best error exponent of the AWGN channel (or at least the lower bounds to the error exponent [21, Sec. 7.3], which are tight above the critical rate), a "thin" spherical region is taken instead of a full sphere. This result has been corrected and refined by several authors [23, 29, 26, 24].

However, when a lattice code is defined in this manner, much of the structure and symmetry of the underlying lattice is lost. In addition, the optimality of this scheme relies on maximum likelihood decoding, i.e., requires finding the lattice point inside the sphere which is closest to the received signal. The resulting decision regions are not fundamental regions of the lattice and are unbounded. In contrast, lattice decoding amounts to finding the closest lattice point, ignoring the boundary of the code. Such an unconstrained search preserves the lattice symmetry in the decoding process and saves complexity, and thus it attracted special attention [1, 26].

When restricted to lattice decoding, however, existing lattice coding schemes can transmit reliably only at rates up to  $\frac{1}{2} \log (SNR)$  [10, 26]. This loss of "one" in the rate formula means significant degradation in performance at low SNR and zero rate for SNR< 1. In fact, it was conjectured [10, 26, 24] that with lattice decoding the rate  $\frac{1}{2} \log (SNR)$  cannot be surpassed. See also the discussion in [19, 29].

We show that with a slightly different definition of lattice transmission and lattice decoding, the full capacity  $\frac{1}{2}\log(1+SNR)$  of the channel may be achieved. Our approach is based on transforming the power-constrained channel into an unconstrained modulo lattice additive noise channel, and enhancing the SNR by one using linear minimum mean square error (MMSE) estimation principles. This improves upon previous lattice-based representations of the AWGN channel in that, for a "good" lattice  $\Lambda$ , the transformation is (asymptotically in the dimension n) information preserving at any SNR. The modulo- $\Lambda$  channel allows to incorporate a coding lattice  $\Lambda_1$ , in a configuration called "nested lattice codes",  $\Lambda \subset \Lambda_1$ . The latter is a slight generalization of the concept of Voronoi constellations [7, 15].

Conway and Sloane were the first to propose Voronoi constellations, where the Voronoi region of a "self-similar" sublattice replaces the sphere as the shaping region of the lattice code [7, 15]. As was shown later, there indeed exist lattices with a quasi-spherical Voronoi region having good shaping properties [30, 11]. More general lattice constructions based on multilevel coset codes were proposed in [19]. In our framework, the shaping sublattice  $\Lambda$  is not necessarily self-similar to the coding lattice  $\Lambda_1$ . See also [33, 17] and the references within for further discussion, links and applications of this configuration.

A key ingredient in our lattice transmission scheme is common randomness in the form of a dither variable  $\mathbf{U}$ , where  $\mathbf{U}$  is uniformly distributed over the shaping region  $\mathcal{V}$ , i.e., over the basic Voronoi region of  $\Lambda$ . We subtract the dither from the channel input and add it to the MMSE-estimated channel output  $\tilde{X} = \alpha Y$ , where addition and subtraction are modulo- $\Lambda$ , and  $\alpha = \frac{P_X}{P_X + P_N}$  is the "Wiener coefficient" which achieves

$$MMSE = \min_{\alpha} E(\tilde{X} - X)^2 = \frac{P_X P_N}{P_X + P_N}.$$

Dithering is a common randomization technique in *lattice quantization* for source coding, used to assure that the mean squared quantization error exactly meets the distortion constraint for any source input, and to decorrelate the quantization error from the source [31]. Similarly, in our scheme the dither assures that the input power exactly meets the power constraint  $P_X$  for every codeword, and decorrelates

the estimation error from the channel input  $^1$ . Due to that, the effective noise in the dithered modulo- $\Lambda$  channel is statistically independent of the input (although it is slightly non-Gaussian). As a result, maximum likelihood decoding of the nested lattice code is equivalent to lattice decoding. This further implies that for large dimensions, the rate R of the scheme with lattice decoding can approach the mutual information rate of the modulo- $\Lambda$  channel, which for good shaping lattices approaches

$$\frac{1}{2}\log\left(\frac{P_X}{\text{MMSE}}\right) = \frac{1}{2}\log(1 + \text{SNR}).$$

We derive our results in several steps. Section 2 establishes the necessary background on lattice codes. Section 3 analyzes the Shannon capacity of the modulo- $\Lambda$  channel which incorporates dithering and linear scaling. Theorem 1 shows that for a good shaping lattice  $\Lambda$ , the capacity of this channel approaches the capacity of the original power constrained AWGN channel (2). Then, Section 4 describes the proposed nested lattice encoding/decoding scheme. Theorems 2 and 3 state our main results, that this scheme can approach capacity for two types of lattice decoders: a noise-matched lattice decoder and a Euclidean lattice decoder, respectively. The difference between the two follows from the fact that the effective noise in the modulo- $\Lambda$  channel is not exactly Gaussian, though it approaches Gaussianity for good shaping lattices.

Before turning to the more technical sections which establish this result, we illustrate in Section 5 the role of linear (biased) estimation in decoding, by a simple example of scalar (uncoded) transmission.

Section 6 extends the discussion to random coding error exponents. Theorem 4 shows that the error exponent of the modulo- $\Lambda$  channel at rate R is at least as good as the Poltyrev exponent for un-constrained channels, [26], calculated at a volume-to-noise ratio of  $e^{2(C-R)}$ . Note that the latter is inferior to the optimal exponent of the power constrained AWGN channel for rates below capacity. Section 7 provides a construction for a "good" random ensemble of nested lattice pairs  $(\Lambda, \Lambda_1)$ . Finally,

<sup>&</sup>lt;sup>1</sup>Note that the orthogonality principle implies  $\tilde{X} - X \perp \tilde{X}$  but not  $\tilde{X} - X \perp X$ .

Theorem 5 in Section 8 makes the last step and proves that the Poltyrev exponent can be achieved by Euclidean lattice decoding of a good nested lattice code, from which Theorems 2 and 3 follow as corollaries. Most of the technical detail is relegated to the appendices.

Throughout the paper we use the notation  $o_n(1)$  to specify any function of n such that  $o_n(1) \to 0$  as  $n \to \infty$ . In a similar manner we denote  $o_k(1)$ ,  $o_m(1)$ , etc. All logarithms in this paper are natural logarithms and rates are in nats.

### 2 Preliminaries: Lattices, Quantization, Lattice Decoding

A lattice  $\Lambda$  is a discrete subgroup of the Euclidean space  $\mathbb{R}^n$  with the ordinary vector addition operation. Thus, if  $\lambda_1$   $\lambda_2$  are in  $\Lambda$ , it follows that their sum and difference are also in  $\Lambda$ . A lattice  $\Lambda$  may be specified in terms of a generating matrix. Thus, an  $n \times n$  real-valued matrix G defines a lattice  $\Lambda$  by

$$\Lambda = \{ \lambda = G\mathbf{x} : \mathbf{x} \in \mathbb{Z}^n \}. \tag{4}$$

That is, the lattice is generated by taking all *integer* linear combinations of the basis vectors.

A coset of  $\Lambda$  in  $\mathbb{R}^n$  is any translated version of it, i.e., the set  $\mathbf{x} + \Lambda$  is a coset of  $\Lambda$  for any  $\mathbf{x} \in \mathbb{R}^n$ . The fundamental Voronoi region of  $\Lambda \subset \mathbb{R}^n$ , denoted by  $\mathcal{V}$ , is a set of minimum Euclidean norm coset representatives of the cosets of  $\Lambda$ . Every  $\mathbf{x} \in \mathbb{R}^n$  can be uniquely written as

$$\mathbf{x} = \lambda + \mathbf{r} \tag{5}$$

with  $\lambda \in \Lambda$ ,  $r \in \mathcal{V}$ , where  $\lambda = Q_{\mathcal{V}}(\mathbf{x})$  is a nearest neighbor of  $\mathbf{x}$  in  $\Lambda$ , and  $\mathbf{r} = \mathbf{x} \mod \Lambda$  is the apparent error  $\mathbf{x} - Q_{\mathcal{V}}(\mathbf{x})$ . We may thus write

$$\mathbb{R}^n = \Lambda + \mathcal{V} = \bigcup_{\lambda \in \Lambda} (\lambda + \mathcal{V}) = \bigcup_{\mathbf{x} \in \mathcal{V}} (\Lambda + \mathbf{x})$$
 (6)

and  $\mathcal{V} = \mathbb{R}^n \mod \Lambda$ . For a comprehensive introduction to lattices we refer the reader to [18].

It will prove useful in the sequel to consider more general fundamental regions and quantizers. Let  $\Omega$  be any fundamental region of  $\Lambda$ , i.e., every  $\mathbf{x} \in \mathbb{R}^n$  can be uniquely written as  $\mathbf{x} = \lambda + \mathbf{e}$  where  $\lambda \in \Lambda$ ,  $\mathbf{e} \in \Omega$ . and  $\mathbb{R}^n = \Lambda + \Omega$ . We correspondingly define the quantizer associated with  $\Omega$  by

$$Q_{\Omega}(\mathbf{x}) = \lambda \quad \text{if } \mathbf{x} \in \lambda + \Omega. \tag{7}$$

This is a nearest neighbor quantizer (as above) if we choose  $\Omega$  to be a fundamental Voronoi region  $\mathcal{V}$ . But in general there are many other choices for  $\Omega$  (e.g. the basic parallelepiped [6]), all have the same volume, denoted  $V(\Lambda)$ , which is given by the inverse density of the lattice points in space. Define the modulo- $\Lambda$  operation corresponding to  $\Omega$  as follows:

$$\mathbf{x} \bmod_{\Omega} \Lambda = \mathbf{x} - Q_{\Omega}(\mathbf{x}). \tag{8}$$

Note that this implies that  $[\mathbf{x} \mod_{\Omega} \Lambda] \in \Omega$  for all  $\mathbf{x} \in \mathbb{R}^n$ . For a nearest neighbor quantizer, we omit the subscript  $\mathcal{V}$ , i.e.,  $\mathbf{x} \mod \Lambda = \mathbf{x} - Q_{\mathcal{V}}(\mathbf{x})$ .

The second moment per dimension associated with  $\Omega$  is defined as

$$\sigma^{2}(\Omega) = \frac{1}{n} E \|\mathbf{U}\|^{2} = \frac{1}{n} \frac{\int_{\Omega} \|\mathbf{x}\|^{2} d\mathbf{x}}{V}, \tag{9}$$

where **U** is a random vector uniformly distributed over  $\Omega$  and  $V \stackrel{\Delta}{=} V(\Lambda) = |\Omega|$ . For a fixed lattice,  $\sigma^2(\Omega)$  is minimized if we choose  $\Omega$  as the fundamental Voronoi region  $\mathcal{V}$ . The normalized second moment of  $\Lambda$  is defined as (see, e.g., [6])

$$G(\Lambda) \stackrel{\triangle}{=} \frac{\sigma^2(\mathcal{V})}{V^{2/n}} = \frac{1}{n} \frac{\int_{\mathcal{V}} \|\mathbf{x}\|^2 d\mathbf{x}}{V^{1+2/n}}.$$
 (10)

The normalized second moment  $G(\Lambda)$  is always greater than  $\frac{1}{2\pi e}$ , the normalized second moment of an infinite dimensional sphere. It is known that for sufficiently large dimension there exist lattices whose Voronoi region  $\mathcal{V}$  approaches a sphere in the sense that  $G(\Lambda)$  is as close to  $\frac{1}{2\pi e}$  as desired [30]. This is equivalent to saying

that a random vector **U** uniform over  $\mathcal{V}$  is closer to white Gaussian noise in the sense of normalized entropy, that is  $\frac{1}{n}h(\mathbf{U})$  is close to  $\frac{1}{2}\log 2\pi e\sigma^2(\mathcal{V})$ . We say that such lattices are "good for quantization" [33].

A lattice decoder is simply a Euclidean quantizer, or more generally a quantizer with respect to a fundamental region  $\Omega$ . That is, the decoder quantizes the received vector to obtain the hypothesized codeword. Since most practical decoding algorithms for lattice codes indeed attempt lattice decoding rather than ML decoding, it would be desirable if such lattice decoding were near optimal.

When considering the performance of lattice decoding, it is insightful to consider the similarity to linear coding for the Binary Symmetric Channel (BSC). The problems of coding for the BSC and coding for the AWGN channel are widely regarded as analogous to some extent. Both are additive noise channels

$$Y = X + N, (11)$$

addition understood to be modulo two for the BSC channel, ordinary addition over the reals for the AWGN channel. The BSC coding problem leads to a code in Hamming space, the AWGN coding problem to a code in Euclidean space.

Linear codes are the counterpart of lattices for the case of a BSC, and a minimum Hamming distance decoder is the counterpart of lattice decoding. It is well known that linear codes can achieve not only the capacity of the BSC channel but also the best known exponential bounds on error probability, see e.g., [2]. Furthermore, for the BSC channel, maximum likelihood decoding amounts to minimum Hamming distance decoding. Thus, minimum Hamming distance decoding is optimal in the case of a BSC channel.

When trying to take the analogy farther, one is however confronted with a basic problem. In a typical communication scenario over the AWGN channel, the transmitter is usually subject to some constraint, the most common being an average power constraint as in (3). This feature is not present in the BSC/linear case. In the next section we describe a method for transforming the AWGN into a modulo additive noise channel. This enables to retain the parallel between the two channel

models and to eventually show that the capacity of the AWGN channel may be achieved using lattice codes and Euclidean lattice decoding.

#### 3 Modulo Lattice Additive Noise Channel

We describe a technique derived in [12] to transform the power constrained AWGN channel into a Modulo Lattice Additive Noise (MLAN) channel. The transformation is not strictly information lossless in the sense that it does not preserve the mutual information. However, for a "good" lattice the (information) loss goes to zero as the dimension of the lattice, n, goes to infinity. This suffices for achieving the channel's capacity, albeit results in a suboptimal error exponent, as shown in Section 6. For related background, see the treatment of modulo lattice additive noise channels in [19].

Let **U** be a random variable uniformly distributed over  $\Omega$  as defined above. We employ **U** as a dither signal. It is assumed that **U** is known to both transmitter and receiver (common randomness) and is independent of the channel. The following property is extensively used in the sequel.

**Lemma 1** For any random variable  $\mathbf{X} \in \Omega$ , statistically independent of  $\mathbf{U}$ , we have that the sum  $\mathbf{Y} = \mathbf{X} + \mathbf{U} \mod_{\Omega} \Lambda$  is uniformly distributed over  $\Omega$ , and is statistically independent of  $\mathbf{X}$ .

A proof in the context of dithered quantization can be found in [31]. The following is a simpler proof by group theoretic considerations, that was pointed out to the authors by G. D. Forney, Jr.

Proof: Since  $\mathbf{y} - \mathbf{x} \mod_{\Omega} \Lambda$  runs through  $\Omega$  as  $\mathbf{y}$  runs through  $\Omega$ , and the density  $f_{\mathbf{U}}(\mathbf{u})$  is constant over  $\mathbf{u} \in \Omega$ , the density  $f_{\mathbf{Y}|\mathbf{X}}(\mathbf{y}, \mathbf{x}) = f_{\mathbf{U}}(\mathbf{y} - \mathbf{x} \mod_{\Omega} \Lambda)$  is constant over  $\mathbf{y} \in \Omega$  for any  $\mathbf{x} \in \Omega$ .  $\square$ 

#### 3.1 The MLAN channel transformation

We transform a block of n uses of the AWGN channel  $\mathbf{Y} = \mathbf{X} + \mathbf{N}$  into an n-dimensional modulo lattice additive noise channel. The input alphabet of this channel is a fundamental region  $\Omega$  of the lattice  $\Lambda$  which we call the *shaping lattice*. We later restrict attention to the fundamental Voronoi region  $\mathcal{V}$ .

Given  $\mathbf{t} \in \Omega$  and the dither  $\mathbf{U}$ , the output of the transmitter is given by a modulo lattice operation:

$$\mathbf{X_t} = [\mathbf{t} - \mathbf{U}] \bmod_{\Omega} \Lambda. \tag{12}$$

Upon reception,  $\mathbf{Y} = \mathbf{X_t} + \mathbf{N}$  is multiplied by some "attenuating factor",  $0 \le \alpha \le 1$ , to be specified later, and the dither  $\mathbf{U}$  is then added. The result is reduced modulo  $\Lambda$ , giving

$$\mathbf{Y}' = [\alpha \mathbf{Y} + \mathbf{U}] \bmod_{\Omega} \Lambda \tag{13}$$

$$= \left[ \alpha(\mathbf{X_t} + \mathbf{N}) + \mathbf{U} \right] \bmod_{\Omega} \Lambda. \tag{14}$$

The resulting channel from  $\mathbf{t}$  to  $\mathbf{Y}'$  is a modulo- $\Lambda$  additive noise channel described by the following lemma:

Lemma 2 ("Inflated lattice lemma" [12]) The channel from  $\mathbf{t}$  to  $\mathbf{Y}'$ , defined by (1),(12) and (13), is equivalent in distribution to the channel

$$\mathbf{Y}' = [\mathbf{t} + \mathbf{N}'] \mod_{\Omega} \Lambda \tag{15}$$

where N' is independent of t and is distributed as

$$\mathbf{N}' = \left[ \alpha \mathbf{N} - (1 - \alpha) \mathbf{U} \right] \bmod_{\Omega} \Lambda \tag{16}$$

where  $\mathbf{U}$  is a random variable uniformly distributed over  $\Omega$  and is statistically independent of  $\mathbf{N}$ .

We refer to the resulting channel as a  $\Lambda$ -MLAN channel. The component  $-(1 - \alpha)\mathbf{U}$  will be termed "self-noise" in the sequel. We see that the equivalent noise is the

weighted sum of a Gaussian vector and a uniform random vector, folded (aliased) into the fundamental region  $\Omega$ . When  $\alpha < 1$ , the MLAN transformation amounts to effectively "inflating" the lattice and scaling the noise by different factors as explained in Section 5.

Proof:

$$\mathbf{Y}' = [\alpha(\mathbf{X_t} + \mathbf{N}) + \mathbf{U}] \bmod_{\Omega} \Lambda \tag{17}$$

$$= [\mathbf{X_t} + \mathbf{U} + (\alpha - 1)\mathbf{X_t} + \alpha \mathbf{N}] \bmod_{\Omega} \Lambda$$
 (18)

$$= [(\mathbf{t} - \mathbf{U}) \bmod_{\Omega} \Lambda + \mathbf{U} - (1 - \alpha)\mathbf{X}_{\mathbf{t}} + \alpha \mathbf{N}] \bmod_{\Omega} \Lambda$$
 (19)

$$= [\mathbf{t} - (1 - \alpha)\mathbf{X_t} + \alpha \mathbf{N}] \bmod_{\Omega} \Lambda$$
 (20)

where (20) follows since the modulo operation is distributive so the dither cancels out. The lemma follows, since the distribution of  $\mathbf{X_t}$  is independent of  $\mathbf{t}$  by Lemma 1, and it has the same distribution as  $\mathbf{U}$ , i.e., it is uniform over  $\Omega$ .  $\square$ 

For an input power constraint the best choice for a shaping region  $\Omega$  is a fundamental *Voronoi* region of the lattice relative to the Euclidean norm. We denote this choice by  $\Omega = \mathcal{V}$ . Note that  $\mathcal{V} = -\mathcal{V}$  (up to a boundary set of measure zero) and therefore in this case

$$\mathbf{N}' = [(1 - \alpha)\mathbf{U} + \alpha\mathbf{N}] \mod \Lambda. \tag{21}$$

where mod  $\Lambda$  means mod  $\nu$   $\Lambda$ .

The lattice is scaled so that the second moment of  $\mathcal{V}$  is  $P_X$ , i.e.,

$$\frac{1}{nV} \int_{\mathcal{V}} \|\mathbf{x}\|^2 d\mathbf{x} = \sigma^2(\mathcal{V}) = P_X. \tag{22}$$

By Lemma 1, due to the dither, for any t, the average transmitted power is

$$\frac{1}{n}E\|\mathbf{X_t}\|^2 = \frac{1}{n}E\|\mathbf{U}\|^2 = P_X.$$
 (23)

#### 3.2 Capacity of the MLAN channel

Since the equivalent channel (15) is additive modulo- $\Lambda$ , taking the input to be uniform over the Voronoi region of  $\Lambda$ , i.e.,  $\mathbf{T} \sim \text{Unif}(\mathcal{V})$ , achieves its capacity.

With this choice, the output  $\mathbf{Y}'$  is also uniformly distributed over  $\mathcal{V}$ . The resulting information rate is

$$\frac{1}{n}I(\mathbf{T}; \mathbf{Y}') = \frac{1}{n}h(\mathbf{Y}') - \frac{1}{n}h(\mathbf{Y}'|\mathbf{T})$$
 (24)

$$= \frac{1}{n}\log V - \frac{1}{n}h(\mathbf{N}') \tag{25}$$

$$= \frac{1}{2} \log \frac{P_X}{G(\Lambda)} - \frac{1}{n} h(\mathbf{N}') \tag{26}$$

where (26) follows from the definition of the normalized second moment (10) and from (22).

We are still left with the freedom of choosing  $\alpha$ . Choosing  $\alpha=1$  results in an effective noise  $\mathbf{N}'=\mathbf{N} \mod \Lambda$  in (21), i.e.,  $\mathbf{N}'$  does not have a self-noise component. When n is large and  $P_X\gg P_N$ , and if  $\Lambda$  is a "good" lattice for quantization, i.e.,  $G(\Lambda)\approx \frac{1}{2\pi e}$ , it can be shown that the effect of the modulo operation on the noise entropy becomes negligible. We would therefore have  $\frac{1}{n}h(\mathbf{N}')\approx \frac{1}{n}h(\mathbf{N})$  and a resulting information rate 2 of  $\frac{1}{2}\log\frac{P_X}{P_N}$ . As mentioned in the Introduction, this rate was previously conjectured to be the greatest achievable with lattice decoding.

Nevertheless, we can do better by taking the MMSE coefficient  $\alpha = \frac{P_X}{P_X + P_N} = \frac{\text{SNR}}{1 + \text{SNR}}$ . With this choice, we have

$$\frac{1}{n}E\|\mathbf{N}'\|^2 \le \frac{1}{n}E\|(1-\alpha)\mathbf{U} + \alpha\mathbf{N}\|^2$$
 (27)

$$= (1 - \alpha)^2 P_X + \alpha^2 P_N \tag{28}$$

$$= \frac{P_X P_N}{P_X + P_N} \tag{29}$$

where the inequality follows since for a Voronoi region  $\|\mathbf{x} \mod \Lambda\| \leq \|\mathbf{x}\|$  for any  $\mathbf{x}$ . Therefore, the effective noise power is reduced by a factor of  $\frac{P_X}{P_X + P_N}$  (as if the noise was attenuated by a factor of  $\sqrt{\frac{1+\mathrm{SNR}}{\mathrm{SNR}}}$ ), so the effective SNR of the MLAN channel is at least

$$\frac{P_X}{P_N \cdot \frac{\text{SNR}}{1 + \text{SNR}}} = 1 + \text{SNR}$$

<sup>&</sup>lt;sup>2</sup>It is interesting to note that the information rate of  $\frac{1}{2}\log(2\pi eP_X) - h(N)$  is achievable with  $\alpha = 1$  even when N = Y - X is not independent of X.

so that it is increased by one.

Consider now a sequence of lattices  $\Lambda^{(n)}$  which are good for quantization as defined above, that is  $\lim_{n\to\infty} G(\Lambda^{(n)}) = \frac{1}{2\pi e}$ .

Theorem 1 (Capacity of MLAN channel) For the MLAN channel, if we choose  $T \sim \text{Unif}(\mathcal{V})$ ,  $\alpha = \frac{\text{SNR}}{1+\text{SNR}}$ , and if the sequence of lattices  $\Lambda^{(n)}$  satisfies  $G(\Lambda^{(n)}) \rightarrow \frac{1}{2\pi e}$ , then

$$\lim_{n \to \infty} \frac{1}{n} I(\mathbf{T}; \mathbf{Y}') = \frac{1}{2} \log(1 + SNR).$$

*Proof:* Since the capacity of the original AWGN channel is  $C \stackrel{\triangle}{=} \frac{1}{2} \log(1 + \text{SNR})$ , it follows from the data processing inequality that

$$\frac{1}{n}I(\mathbf{T}; \mathbf{Y}') \le \frac{1}{2}\log(1 + \text{SNR}). \tag{30}$$

Since the entropy of N' is upper bounded by the entropy of a white Gaussian vector with the same second moment [21], we have from (27) that

$$\frac{1}{n}h(\mathbf{N}') \le \frac{1}{2}\log\left(2\pi e \frac{P_X P_N}{P_X + P_N}\right) \tag{31}$$

which implies from (26)

$$\frac{1}{n}I(\mathbf{T}; \mathbf{Y}') \geq \frac{1}{2}\log\left(\frac{1}{2\pi eG(\Lambda^{(n)})} \cdot \frac{P_X + P_N}{P_N}\right)$$

$$= \frac{1}{2}\log(1 + \text{SNR}) - \frac{1}{2}\log\left(2\pi eG(\Lambda^{(n)})\right). \tag{32}$$

By assumption  $\log (2\pi eG(\Lambda^{(n)})) \to 0$ . Thus combining (30) and (32), the theorem follows.  $\square$ 

Therefore, with  $\alpha = \alpha_{MMSE}$  and a proper choice of shaping lattice  $\Lambda$ , the capacity of the MLAN channel indeed approaches the capacity of the original power constrained AWGN channel <sup>3</sup>. This entails drawing a random code according to the distribution  $\mathbf{T} \sim \text{Unif}(\mathcal{V})$ , and applying ML decoding relative to the effective modulo-noise  $\mathbf{N}'$  [21]. In the next section we show how to replace the uniform random code by a lattice code.

<sup>&</sup>lt;sup>3</sup>Inspired by a preprint of our work, Forney suggested to view this as a canonical model which connects between Wiener theory and Shannon theory [17].

#### 4 Nested Lattices for Shaping and Coding

As in the case of a BSC channel, we shall see that it is possible to achieve capacity using linear codes instead of a code drawn at random. For the MLAN channel, this means using a nested lattice code, where the coarse lattice  $\Lambda$  is used for shaping so it is a good quantizer, and the fine lattice  $\Lambda_1$  defines the codewords so it is a good channel code. Furthermore, for the MLAN channel lattice decoding is optimal, so that we will obtain a lattice encoding/decoding scheme to replace the random-code/ML-decoding scheme of Section 3, having the same capacity. The scheme is described in Section 4.1 below, and its optimality is stated in Theorem 2 in Section 4.2.

A delicate point is, however, that the effective noise in the MLAN channel is not precisely Gaussian for any finite dimension; hence, lattice decoding no longer means Euclidean decoding but rather decoding with a noise-matched "metric"<sup>4</sup>. Nevertheless, for a more restricted class of nested lattices (see Sections 7 and 8), Euclidean lattice decoding becomes asymptotically optimal as the dimension goes to infinity, hence it achieves capacity as well. This result is formally stated in Theorem 3 in Section 4.3.

A nested lattice code is a lattice code whose boundary region is the Voronoi region of a sublattice. This may be visualized as in Figure 1. The use of nested lattices goes back to the works of Conway and Sloane [7] and Forney [15] (where they were called "Voronoi codes" or "Voronoi constellations")<sup>5</sup>. More recently such codes found application in Wyner-Ziv and dirty paper encoding [33].

The shaping sublattice (i.e., the coarse lattice) is  $\Lambda$ , the lattice defining the MLAN channel. We will choose  $\Lambda$  so that its average power per dimension is  $P_X$  and its normalized second moment approaches that of a sphere, namely  $\frac{1}{2\pi e}$ . The

<sup>&</sup>lt;sup>4</sup>We use here the (popular) term "decoding metric" although the distance measure induced by ML decoding is not necessarily a metric.

<sup>&</sup>lt;sup>5</sup>Conway and Sloane's original definition [7] was limited to self-similar lattices. Forney's Voronoi codes, allow, by construction, any nesting relation. Here we prefer to use the name "nested codes", which links to the more general context of algebraic binning [33].




Figure 1: Nested lattices of ratio three.

fine lattice should be good for channel coding, i.e., it should achieve the Poltyrev exponent, as explained in Section 7 below.

Formally we say that a lattice  $\Lambda$  (the coarse lattice) is nested in  $\Lambda_1$  (the fine lattice) if  $\Lambda \subseteq \Lambda_1$ , i.e., if  $\Lambda$  is a sublattice of  $\Lambda_1$ .<sup>6</sup> The fundamental Voronoi regions of  $\Lambda_1$  and  $\Lambda$  are denoted by  $\mathcal{V}_1$  and  $\mathcal{V}$ , respectively; their corresponding volumes by  $V_1$  and V, where  $V_1$  divides V by construction. We call  $\left(\frac{V}{V_1}\right)^{\frac{1}{n}}$  the nesting ratio. The points of the set

$$C = \{ \Lambda_1 \bmod \Lambda \} \stackrel{\Delta}{=} \{ \Lambda_1 \cap \mathcal{V} \}$$
 (33)

are called the *coset leaders* of  $\Lambda$  relative to  $\Lambda_1$ ; for each  $\mathbf{c} \in \mathcal{C}$  the shifted lattice  $\Lambda_{\mathbf{c}} = \mathbf{c} + \Lambda$  is called a *coset* of  $\Lambda$  relative to  $\Lambda_1$ . The set of all cosets, i.e., the quotient group of  $\Lambda_1$  by  $\Lambda$ , is denoted by  $\Lambda_1/\Lambda$ . It follows that there are  $V/V_1$  different cosets,

<sup>&</sup>lt;sup>6</sup>In some publications the coarse lattice is denoted  $\Lambda_s$  (for shaping) or  $\Lambda_q$  (for quantization), while the fine lattice is denoted  $\Lambda_c$  (for coding).




Figure 2: Encoding/Decoding scheme.

whose union gives the fine lattice

$$\bigcup_{\mathbf{c} \in \mathcal{C}} \Lambda_{\mathbf{c}} = \Lambda_1.$$
(34)

The coding rate of the nested lattice code is defined as  $R = \frac{1}{n} \log |\mathcal{C}| = \frac{1}{n} \log |\Lambda_1/\Lambda|$ . It follows that

$$R = \frac{1}{n} \log \frac{V}{V_1} = \log(\text{nesting-ratio}). \tag{35}$$

#### 4.1 Encoding/Decoding scheme

We now incorporate a lattice code into the modulo transformation scheme of Section 3, with nested lattice codes replacing the random codebook, as shown in Figure 2. Let  $(\Lambda_1, \Lambda)$  be a rate-R nested lattice code as defined in (35), with  $\sigma^2(\mathcal{V}) = P_X$ . Let mod  $\Lambda$  denote modulo lattice operation with respect to the *Voronoi* region  $\mathcal{V}$  of the coarse lattice. Let  $\Omega_1$  denote some fundamental region of the fine lattice  $\Lambda_1$  to be specified later, and let  $Q_{\Omega_1}$  denote the corresponding lattice quantizer.

- Message selection: Associate a message with each member of the set of coset leaders  $C = \{c\}$  as defined in (33).
- Encoding: Let the dither U be defined by  $U \sim \mathrm{Unif}(\mathcal{V})$ . Given the message  $c \in \mathcal{C}$ , the encoder sends

$$\mathbf{X} = [\mathbf{c} - \mathbf{U}] \mod \Lambda. \tag{36}$$

<sup>&</sup>lt;sup>7</sup>In fact, **c** may be replaced by any member of the coset  $\Lambda_{\mathbf{c}}$ .




Figure 3: Equivalent modulo-additive noise channel. Addition is modulo  $\Lambda$ .

Consequently, by Lemma 1 and (23),  $\mathbf{X}$  is uniform over  $\mathcal{V}$  (independent of  $\mathbf{c}$ ) and the average transmitted power is  $P_X$ .

• Decoding: Let  $\alpha = \frac{P_X}{P_X + P_N}$  as in Section 3. The decoder computes

$$\hat{\mathbf{c}} = Q_{\Omega_1}(\alpha \mathbf{Y} + \mathbf{U}) \bmod \Lambda. \tag{37}$$

This transmission scheme is depicted in Figure 2, where  $\alpha \mathbf{Y} + \mathbf{U}$  is denoted by  $\mathbf{Y}''$ . By the "distributive" property of the modulo operation, we can rewrite (37) as

$$\hat{\mathbf{c}} = Q_{\Omega_1}([\alpha \mathbf{Y} + \mathbf{U}] \bmod \Lambda) \bmod \Lambda \tag{38}$$

$$= Q_{\Omega_1}(\mathbf{Y}') \bmod \Lambda \tag{39}$$

$$= Q_{\Omega_1} ([\mathbf{c} + \mathbf{N}'] \mod \Lambda) \mod \Lambda$$
 (40)

where (39) follows since  $\mathbf{Y}' = \mathbf{Y}'' \mod \Lambda$  from (13) (with  $\Omega = \mathcal{V}$ ), and (40) follows by the inflated lattice lemma (Lemma 2) where  $\mathbf{N}' = (1 - \alpha)\mathbf{U} + \alpha\mathbf{N} \mod \Lambda$ . The equivalent channel from  $\mathbf{c}$  to  $\hat{\mathbf{c}}$  is illustrated in Figure 3.

Since the channel is modulo additive and  $\Lambda$  is nested in  $\Lambda_1$ , the decoding error probability for any codeword  $\mathbf{c}$  is given by

$$P_e = \Pr(\mathbf{N}' \notin \Omega_1). \tag{41}$$

#### 4.2 Noise-matched lattice decoding

Since we use  $\Lambda_1$  (or more precisely  $\mathcal{C}$ ) as a channel code for the MLAN channel with noise  $\mathbf{N}'$  which is not Gaussian (or spherically symmetric), the optimal decoding region  $\Omega_1$  is not the Voronoi region of  $\Lambda_1$  with respect to Euclidean metric. Rather, we define  $\Omega_1^*$ , a fundamental region of  $\Lambda_1$ , to be an ML decoding region with respect to  $\mathbf{N}'$  of the zero codeword. Thus,  $\Omega_1^*$  is a fundamental region satisfying<sup>8</sup>

$$\Omega_1^* = \left\{ \mathbf{x} : f_{\mathbf{N}'}(\mathbf{x}) \ge f_{\mathbf{N}'}(\mathbf{x} - \mathbf{c} \mod \Lambda) \ \forall \mathbf{c} \in \mathcal{C} \right\}.$$
 (42)

A decoder using the quantizer  $Q_{\Omega_1^*}(\cdot)$  will be called an *ML lattice decoder* or a noise-matched lattice decoder. Note that the decoder is a lattice decoder in the sense that the decoding regions are congruent but is not a (Euclidean) nearest neighbor decoder since  $\mathbf{N}'$  is not quite spherically symmetric.

Theorem 2 (Capacity-achieving nested lattices with ML lattice decoding) For any  $\epsilon > 0$ , there exists a sequence of n-dimensional nested lattice pairs  $(\Lambda_1^{(n)}, \Lambda^{(n)})$  whose rate R as defined in (35) is greater than  $C - \epsilon$  for sufficiently large n, and whose decoding error probability (41) satisfies as  $n \to \infty$ 

$$P_e = \Pr(\mathbf{N}' \notin \Omega_1^{(n)*}) \to 0. \tag{43}$$

Theorem 2 can be deduced by a suitable modification (to nested lattices) of the analysis in [24]. Here we obtain it as a corollary to Theorem 5, which deals with the error probability of a *Euclidean* decoder. The latter is strictly inferior to the noise-matched decoder assumed here and thus Theorem 2 indeed follows from Theorem 5.

#### 4.3 Euclidean lattice decoding

As we observed, a somewhat disagreeable aspect of the noise-matched lattice decoder is that the decoding "metric" is now coupled to the choice of shaping lattice  $\Lambda$  (via

<sup>&</sup>lt;sup>8</sup>Note that  $\Omega_1^*$  is not uniquely defined by (42) as ties may be broken in different ways. One possibility is to take  $\Omega_1^*$  to be the union of all points either satisfying (42) with strict inequality, or in case of a tie, belonging to the Voronoi region  $\mathcal{V}_1$ .

the probability density of the self noise **U**). Moreover, the decoding metric has memory. This is in contrast to the single-letter form of the Euclidean decoding metric, corresponding to white Gaussian noise.

Looking at the definition of  $\mathbf{N}'$  (21), we see that there are two elements to this non-Euclidean nature of the decoder which we may separate. Define  $\mathbf{N}'' = (1-\alpha)\mathbf{U} + \alpha\mathbf{N}$  so that  $\mathbf{N}' = \mathbf{N}'' \mod \Lambda$ . The first element is that the self noise is distributed uniformly over  $\mathcal{V}$  rather than being Gaussian. The second is that the sum  $\mathbf{N}'' = (1-\alpha)\mathbf{U} + (1-\alpha)\mathbf{N}$  is then reduced modulo  $\Lambda$ . We may correspondingly depict the operation of a noise matched decoder as follows. Upon receiving a vector  $\mathbf{y}'' = \alpha \mathbf{y} + \mathbf{u}$ , for every codeword  $\mathbf{c} \in \mathcal{C}$  first compute the densities  $f_{\mathbf{N}''}(\mathbf{y}'' - \mathbf{c} + \lambda)$  for all  $\lambda \in \Lambda$ , then sum them. That is, the metric associated with codeword  $\mathbf{c}$  is the sum over all metrics of its coset  $\{\mathbf{c} + \Lambda\}$ , so that:

$$\Pr\left(\mathbf{c}|\mathbf{y}''\right) \propto \sum_{\lambda \in \Lambda} f_{\mathbf{N}''}(\mathbf{y}'' - \mathbf{c} + \lambda) = \mu(\mathbf{y}'' - \mathbf{c})$$
(44)

where

$$\mu(\mathbf{x}) \stackrel{\Delta}{=} \sum_{\lambda \in \Lambda} f_{\mathbf{N}''}(\mathbf{x} + \lambda). \tag{45}$$

Accordingly, there are two natural simplified (suboptimal) decoders to be considered. First, we may approximate  $\mathbf{N}''$  with a white Gaussian vector  $\mathbf{Z}$  having the same second moment  $\frac{P_X P_N}{P_X + P_N}$ , and thus use the "folded Euclidean metric"

$$\mu'(\mathbf{x}) = -\log \sum_{\lambda \in \Lambda} \exp \left\{ \frac{-\|\mathbf{x} - \lambda\|^2}{2 \cdot \frac{P_X P_N}{P_X + P_N}} \right\}.$$
 (46)

The decoder may further be simplified by dropping the sum, keeping only the largest term, resulting in the metric,

$$\mu^*(\mathbf{x}) \stackrel{\Delta}{=} \min_{\lambda \in \Lambda} \|\mathbf{x} - \lambda\|^2 = \|\mathbf{x} \mod \Lambda\|^2.$$
 (47)

The metric  $\mu^*(\cdot)$  gives rise to a Euclidean quantization cell  $\Omega_1 = \mathcal{V}_1$ , so the decoding operation in (37) becomes  $\hat{\mathbf{c}} = Q_{\mathcal{V}_1}(\alpha \mathbf{Y} + \mathbf{U}) \mod \Lambda$ , and the decoding error probability (41) becomes

$$P_e = \Pr\{\mathbf{N}' \notin \mathcal{V}_1\}. \tag{48}$$

Since decoding according to  $\mu^*$  is suboptimal (i.e., mismatched decoding),  $P_e$  in (48) is in general larger than the decoding error probability in (43). Nevertheless, the following theorem shows that capacity can still be approached using appropriate nested lattice pairs.

Theorem 3 (Capacity-achieving nested lattices with Euclidean decoding) For any  $\epsilon > 0$ , there exists a sequence of n-dimensional nested lattice pairs  $(\Lambda_1^{(n)}, \Lambda^{(n)})$  whose rate R as defined in (35) is greater than  $C - \epsilon$  for sufficiently large n, and whose decoding error probability (48) satisfies as  $n \to \infty$ 

$$P_e = \Pr(\mathbf{N}' \notin \mathcal{V}_1) \to 0. \tag{49}$$

Theorem 3 follows as a corollary to Theorem 5 in Section 8, which goes further and bounds the *error exponent* of a nested lattice code with Euclidean lattice decoding. As a final remark, we note that in practice the folded Euclidean metric (46) may allow to approach capacity with a less demanding nested lattice construction and may be advantageous in practice, see [13].

### 5 Linear Estimation, Bias and Inflated Lattice Decoding

In this section we illustrate the effect of using an inflated lattice decoder<sup>9</sup> by considering a one dimensional example, without the use of a dither. We consider uncoded PAM transmission and compare the average error probability of an inflated (or scaled) lattice decoder with that of a non-inflated lattice decoder. The inflated lattice decoding approach relates to the issue of biased versus unbiased estimation in the context of detection. We attempt to shed some light on the merits of these two approaches.

Assume an element of a 4-PAM constellation is sent over an additive noise channel with AWG noise as illustrated in Figure 4. That is, let  $X \in \{-3, -1, 1, 3\}$ 

<sup>&</sup>lt;sup>9</sup>The term "inflated" will be explained later in this section.




Figure 4: Regular slicer (ML), lattice quantizer decoder and inflated lattice quantizer decoder.

and assume that the four symbols are equiprobable, i.e.,  $\Pr\{X=i\}=\frac{1}{4}$  for  $i\in\{-3,-1,1,3\}$ . The receiver observes Y=X+N where  $N\sim\mathcal{N}(0,P_N)$ . A minimum distance (ML) decoder would decode as follows

$$\hat{X} = \begin{cases} -3 & Y < -2 \\ -1 & -2 \le Y < 0 \\ 1 & 0 \le Y < 2 \\ 3 & Y \ge 2. \end{cases}$$

These decision regions correspond to a standard slicer. The resulting average probability of error is

$$\bar{P}_e = \frac{1}{4} \sum_{i=-3,-1,1,3} \Pr{\{\hat{X} \neq i | X=i\}}$$
 (50)

$$= 3/2 \cdot q(1/\sqrt{P_N}) \tag{51}$$

where

$$q(t) = \int_{t}^{\infty} \frac{1}{\sqrt{2\pi}} e^{-\frac{s^2}{2}} ds \tag{52}$$

denotes the standard Q function to avoid confusion with the quantizer function  $Q_{\Delta}(\cdot)$  to be used next.

Suppose now that we replace the slicer with a one dimensional midrise lattice quantizer  $Q_{\Delta}(\cdot)$  of step size  $\Delta=2$ , so that  $\hat{X}=Q_{\Delta}(Y)$  where

$$Q_{\Delta}(Y) = i\Delta/2$$
 iff  $Y \in [i - \Delta/2, i + \Delta/2)$ , for  $i \in 2\mathbb{Z} + 1$ .

Hence, the two outer decision boundaries in Figure 4 come into play. The average probability of error of this system is  $\bar{P}_e = 2 \cdot q(1/\sqrt{P_N})$ . We obviously lose with respect to the ML decoder by bounding the decision regions of the two outer symbols -3 and 3.

Consider now a third decoder that uses a one dimensional lattice quantizer but this time with step size  $\Delta/\alpha$  where  $0 < \alpha < 1$ , so that  $\hat{X} = \alpha Q_{\Delta/\alpha}(Y)$ , as illustrated in Figure 4. We call such a decoder an *inflated lattice* decoder or simply an inflated quantizer. We may optimize the scaling coefficient  $\alpha$  so as to minimize the averaged error probability

$$\bar{P}_e = \frac{1}{4} \sum_{i \in \{-3, -1, 1, 3\}} \Pr(\alpha Q_{\Delta/\alpha}(Y) \neq i | X = i).$$
 (53)

We may alternatively view the inflated lattice decoder as using linear estimation prior to quantization. That is, we may keep the step size  $\Delta = 2$  and decode as

$$\hat{X} = Q_{\Delta}(\tilde{X})$$

where  $\tilde{X} \stackrel{\triangle}{=} \alpha Y$  is a linear estimator of X given Y. Note that the estimator is biased and the estimation error  $D = \tilde{X} - X$  is statistically dependent on the transmitted symbol X (as no dither is used). The optimizing scaling factor  $\alpha_{\rm opt}({\rm SNR})$  may be found numerically.

A suboptimal choice, at least for this one dimensional example, is to use MMSE scaling. The MMSE criterion chooses  $\alpha$  so as to minimize the expected estimation error  $E\{D^2\}$ . The resulting (Wiener) coefficient is  $\alpha_{\rm MMSE}({\rm SNR}) = \frac{{\rm SNR}}{1+{\rm SNR}}$ . Figure 5 compares the average error probability as a function of the SNR of the a regular slicer, a lattice quantizer and a scaled (inflated) lattice quantizer. The performance of the inflated lattice quantizer is depicted for various values of  $\alpha$  as well as for the MMSE value  $\alpha_{\rm MMSE}({\rm SNR})$ . The lower envelope of the dashed lines corresponds to  $\alpha_{\rm opt}({\rm SNR})$ . It is seen that the inflated lattice quantizer has a substantial gain over the standard (un-scaled) lattice quantizer at low SNR.

We conclude that when using a lattice quantizer at the decoder, we may gain by using a biased linear estimator prior to quantization. In contrast, when a regular




Figure 5: Comparison of performance of regular slicer, standard (un-scaled) lattice quantizer and inflated lattice quantizer. The dashed lines correspond to inflated lattice quantizers with fixed values of  $\alpha=0.1,0.2,\ldots,1$ .




Figure 6: Inflated lattice decoder. bold lines=Voronoi regions of original lattice code; thin lines=decoding regions of the inflated lattice; small circles= actual transmitted codewords; bold circles=inflated (imaginary) codebook.

slicer (with half open boundary decision regions) is used the *unbiased* estimator is clearly superior as it performs ML detection.

In this one dimensional example, the distinction between a minimum distance decoder and a strict lattice quantizer decoder may seem of minor significance, affecting only the boundary points. However, in high dimensions the boundary codewords are typical and the distinction becomes of central importance. This may be visualized by the multi-dimensional lattice transmission scheme with inflated lattice decoder depicted in Figure 6. The noise is Gaussian and is depicted as a sphere. In high dimensions almost all transmitted lattice points lie near the surface of a sphere of

radius  $\sqrt{nP_X}$ . One such point is considered in the figure. With a non-scaled lattice decoder, correct decoding occurs when the noise falls within the Voronoi region. When the noise is large, this original Voronoi region is completely contained in and is strictly smaller than the noise sphere. Thus, the probability of correct decoding is proportional to the relative portion of the noise sphere contained inside the original Voronoi region, which is strictly smaller than one. With an *inflated lattice* decoder, the probability of correct decoding is proportional to the relative portion of the noise sphere (centered at the transmitted codeword) contained inside the inflated Voronoi region. The latter region is centered around the associated point of the inflated lattice, which we call "the imaginary transmitted point". We can see in the figure that the intersection of the noise sphere with the inflated Voronoi region has a larger volume than the volume of the original Voronoi region. Thus, the inflated lattice decoder has a smaller probability of error. Note also that if we were to increase the scaling ratio, at some point the noise sphere would cease to intersect the inflated Voronoi region. Thus, the optimal scaling ratio is finite. Furthermore,  $\alpha_{\rm opt}({\rm SNR}) \to \alpha_{\rm MMSE}({\rm SNR})$  as the dimension goes to infinity.

## 6 Random Coding Error Exponents of the MLAN Channel and the Poltyrev Exponent

We now show that the random coding error exponents of the MLAN channel are related to the Poltyrev exponent [26, 19]. We first give a heuristic explanation of the relation, arriving at an expression for the MLAN error exponent. A rigorous derivation is then given in Section 6.1.

Poltyrev studied the problem of coding for the unconstrained AWGN channel with the input alphabet being the whole space  $\mathbb{R}^n$ . In this setting, the notion of capacity becomes meaningless as infinite rates of transmission are possible. Instead, the error probability (of an ML decoder) is measured against the normalized density of the codewords. We now formalize these notions.

Let  $\mathcal{C} \subset \mathbb{R}^n$  be an infinite constellation of points (codewords) and let L-CUBE =  $[-L/2, L/2]^n$  be an n-dimensional cube of side length L centered at the origin. Denote by

$$\delta = \limsup_{L \to \infty} \frac{|\mathcal{C} \cap (L\text{-CUBE})|}{|L\text{-CUBE}|}$$

the density of the constellation. Note that  $V_c \stackrel{\Delta}{=} 1/\delta$  is the average volume of a Voronoi region of a codeword. Given an AWGN of variance  $P_N$  the (normalized per dimension) volume to noise ratio <sup>10</sup> (VNR)  $\mu$  is defined as

$$\mu = \frac{V_c^{2/n}}{2\pi e} / P_N. \tag{54}$$

Note that  $\frac{V_c^{2/n}}{2\pi e} \cdot n$  is the asymptotic (in dimension n) squared radius of a sphere of volume  $V_c$ . Thus,  $\mu$  has the significance of the ratio of the squared "radius of a spherical Voronoi region" to the variance of the noise. When  $\mu=1$ , a "spherical" Voronoi region has the same radius as the standard deviation of the noise; for smaller  $\mu$  an error is highly likely and reliable communication is not to be expected. Thus,  $\mu=1$  has the significance of capacity. See the discussion in [19, Section II.C] where this is referred to as the "sphere bound".

Define  $P_e(\mathcal{C})$  to be the limit supremum (over L) of the average probability of error of the codewords within L-CUBE, the size of the *cube* going to infinity. Denote the best possible average probability of error for a given  $\mu$  by

$$\bar{P}_e(\mu) = \inf_{\mathcal{C}} \bar{P}_e(\mathcal{C})$$

where the infimum is over all codebooks with VNR  $\mu$ . Poltyrev showed in [26] that

$$\bar{P}_e(\mu) \le e^{-nE_P(\mu)} \tag{55}$$

The term VNR was coined in [19] where it is denoted by  $\alpha^2$ . In [26]  $2\pi e\mu$  is called the generalized signal to noise ratio and is denoted by  $\mu$ , i.e, Poltyrev's  $\mu$  differs from ours by a factor of  $2\pi e$ .

where  $E_P(\mu)$ , the "Poltyrev exponent", is given by

$$E_{P}(\mu) = \begin{cases} E_{P}^{r}(\mu) = \frac{1}{2} \left[ (\mu - 1) - \log \mu \right], & 1 < \mu \le 2 \\ E_{P}^{r}(\mu) = \frac{1}{2} \log \frac{e\mu}{4}, & 2 \le \mu \le 4 \\ E_{P}^{x}(\mu) = \frac{\mu}{8}, & \mu \ge 4 \end{cases}$$
 (56)

and corresponds, as for finite capacity channels, to the random coding and expurgated bounds on the error exponent [21].

The problem of coding for the MLAN channel is rather similar to Poltyrev's problem of coding for the unconstrained AWGN channel. Whereas in the first problem the alphabet is compact, i.e., it is the Voronoi region  $\mathcal{V}$  of a lattice, in the latter it is unbounded, i.e., the entire Euclidean space  $\mathbb{R}^n$ . Thus, we might suspect that the decoding error probability in the two problems may be related if we measure it in both cases against codeword density. A minor difference is that the noise in the MLAN channel is not strictly Gaussian but rather approaches a Gaussian distribution asymptotically as the dimension  $n \to \infty$  (with a proper choice of a sequence of shaping lattices).

Consider a code of rate R for the MLAN channel with a fundamental Voronoi region of volume  $V = |\mathcal{V}|$  and with  $\alpha = \alpha_{MMSE} = \frac{P_X}{P_X + P_N}$ . The number of codewords is  $e^{nR}$  and thus the volume per codeword is  $V_c = V/e^{nR}$  giving a codeword density

$$\delta = 1/V_c = \frac{e^{nR}}{V}. (57)$$

As the effective noise has variance  $\alpha P_N = \frac{P_X P_N}{P_X + P_N}$  we may associate with the code and channel a corresponding effective VNR

$$\mu_{\text{eff}} = \frac{V_c^{2/n}}{2\pi e \frac{P_X P_N}{P_X + P_N}} = \frac{1 + \text{SNR}}{e^{2R}} = e^{2(C - R)}$$
 (58)

using the fact that for a (high dimensional) almost spherical Voronoi region  $\mathcal{V}$ , we have  $V \approx (2\pi e P_X)^{n/2}$ . Note that  $\mu_{\text{eff}} > 1$  when R < C. We now show that for a lattice with  $G(\Lambda)$  close to  $\frac{1}{2\pi e}$  (i.e., with an approximately spherical shaping region in a second moment sense) the error probability in ML decoding of an optimal code is indeed bounded by (55) with  $\mu$  replaced by  $\mu_{\text{eff}}$ .

#### 6.1 Detailed analysis

Denote by  $E_{\Lambda}^{r}(R)$  and  $E_{\Lambda}^{x}(R)$  the random coding and expurgated error exponents, respectively, of the  $\Lambda$ -MLAN channel  $\mathbf{Y}' = \mathbf{t} + \mathbf{N}' \mod \Lambda$ ,  $\mathbf{t} \in \mathcal{V}$ , as characterized in Lemma 2, relative to an input distribution uniform over the alphabet  $\Omega = \mathcal{V}$ . Note that for a modulo additive noise channel, a uniform input indeed maximizes the random coding and expurgated bounds [21]. Let

$$E_{\Lambda}(R) = \max \left[ E_{\Lambda}^{r}(R), E_{\Lambda}^{x}(R) \right] \tag{59}$$

so that  $E_{\Lambda}(R)$  is a lower bound to the true error exponent of the  $\Lambda$ -MLAN channel.

As we have seen, choosing a shaping lattice  $\Lambda$  with normalized second moment  $G(\Lambda)$  close enough to  $\frac{1}{2\pi e}$  and  $\alpha = \frac{P_X}{P_X + P_N}$ , ensures a vanishing loss in capacity in the MLAN transformation. We now analyze the resulting error exponent.

The random coding error exponent of a modulo additive noise channel can be expressed conveniently in terms of Rényi entropies, see e.g., [14]. For the  $\Lambda$ -MLAN channel, this gives

$$E_{\Lambda}^{r}(R) = \max_{0 \le \rho \le 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N}') - R \right]$$

$$= \max_{0 \le \rho \le 1} \rho \left[ \frac{1}{n} \log \frac{V}{e^{nR}} - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N}') \right]$$

$$= \max_{0 \le \rho \le 1} -\rho \left[ \frac{1}{n} h_{\bar{\rho}}(\delta \mathbf{N}') \right]$$
(60)

where  $\bar{\rho} = \frac{1}{1+\rho}$  and  $\delta$  is the density of the codewords as defined in (57), and where the Rényi entropy of order  $\beta$  is defined by

$$h_{\beta}(\mathbf{N}') = \frac{\beta}{1-\beta} \log(\int_{\mathbf{x}} f_{\mathbf{N}'}(\mathbf{x})^{\beta} d\mathbf{x})^{\frac{1}{\beta}}$$
(61)

where  $f_{\mathbf{N}'}(\cdot)$  denotes the probability density of  $\mathbf{N}'$ . Taking into account that  $P_X = G(\Lambda) \cdot V^{2/n}$ , we have

$$E_{\Lambda}^{r}(R) = \max_{0 \le \rho \le 1} \rho \left[ \frac{1}{2} \log \frac{P_X}{G(\Lambda)} - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N}') - R \right]$$
 (62)

$$\geq \max_{0<\rho\leq 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N}') - R \right] - \log 2\pi e G(\Lambda). \tag{63}$$

Let  $Z \sim \mathcal{N}(0, \frac{P_X P_N}{P_X + P_N})$ . In Lemma 5 in Appendix A, we show that for  $C - \frac{\log 2}{2} < R < C$ 

$$\max_{0 < \rho < 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - h_{\bar{\rho}}(Z) - R \right] = E_P^r(\mu)$$
 (64)

with  $\mu = e^{2(C-R)}$  and  $C = \frac{1}{2}\log(1 + \frac{P_X}{P_N})$ . Thus, Lemma 5 expresses Poltyrev's random coding exponent in terms of Gallager's random coding exponent of a mod- $\Lambda$  channel. Recall from (27) that for  $\alpha = \frac{P_X}{P_X + P_N}$ , the variance per dimension of  $\mathbf{N}'$  is  $\frac{P_X P_N}{P_X + P_N}$ . Thus, comparing (63) with (64) we see that if  $\mathbf{N}'$  were white and Gaussian, then the random coding exponent of the MLAN channel would approach the Poltyrev random coding exponent as  $G(\Lambda) \to \frac{1}{2\pi e}$ . Theorem 4 below specifies under what conditions this holds, and also extends this to the expurgated exponent<sup>11</sup>.

We first introduce the following definitions. Let  $R_u$  denote the covering radius of  $\Lambda$ , i.e.,  $R_u$  is the radius of the smallest ball containing the Voronoi region  $\mathcal{V}$ . Also, let  $R_\ell$  denote the effective radius of the Voronoi region, i.e., the radius of a sphere having the same volume as  $\mathcal{V}$ . Finally, substituting the effective VNR  $\mu = e^{2(C-R)}$  from (58) in the Poltyrev exponent  $E_P(\mu)$  given in (56), we have

$$E_{P}(e^{2(C-R)}) = \begin{cases} \frac{e^{2(C-R)}-1}{2} - (C-R), & \max(0, C - \frac{\log 2}{2}) \le R < C \\ C - R - \frac{1}{2} \log \frac{4}{e}, & \max(0, C - \log 2) \le R \le \max(0, C - \frac{\log 2}{2}) \ \frac{1}{8}e^{2(C-R)}, & 0 < R \le \max(0, C - \log 2) \end{cases}$$
 (65)

The following theorem is proved in Appendix A.

Theorem 4 (Random-coding error exponent for a fixed shaping lattice) For any n-dimensional lattice  $\Lambda$ , the error exponent of the  $\Lambda$ -MLAN channel satisfies

$$E_{\Lambda}(R) \geq E_{P}\left(e^{2(C-R-\epsilon_{2}(\Lambda))}\right) - \epsilon_{1}(\Lambda)$$
 (66)

where  $E_P(\cdot)$  is the Poltyrev exponent,

$$\epsilon_1(\Lambda) \stackrel{\triangle}{=} \log\left(\frac{R_u}{R_\ell}\right) + \frac{1}{2}\log 2\pi e G_n^* + \frac{1}{n}$$
(67)

<sup>&</sup>lt;sup>11</sup>Unfortunately, unlike for the case of capacity (corresponding to regular entropy, i.e., Rényi entropy of order  $\bar{\rho}=1$ ), there seems to be no direct way to bound the difference between  $\frac{1}{n}h_{\bar{\rho}}(\mathbf{N}')$  and  $h_{\bar{\rho}}(Z)$  in terms of  $\log(2\pi eG(\Lambda))$ .

and

$$\epsilon_2(\Lambda) \stackrel{\Delta}{=} \log\left(\frac{R_u}{R_\ell}\right) + \frac{1}{2}\log 2\pi eG(\Lambda),$$
(68)

with  $R_u$ ,  $R_\ell$  and  $G(\Lambda)$  denoting the covering radius, effective radius and normalized second moment of  $\Lambda$ , respectively, and  $G_n^*$  denoting the normalized second moment of an n-sphere.

To achieve the Poltyrev exponent  $E_P(\mu)$  at  $\mu = e^{2(C-R)}$ , we would thus like  $\epsilon_1(\Lambda)$  and  $\epsilon_2(\Lambda)$  to be small. To that end, we confine ourselves to a more stringent class of shaping lattices  $\Lambda$ . Following a result of Rogers [27, 6], there exist lattices whose covering density, i.e.,  $\left(\frac{R_{\nu}}{R_{\ell}}\right)^n$ , satisfies,

$$1 \le \left(\frac{R_u}{R_\ell}\right)^n < c \cdot n \cdot (\log n)^a \stackrel{\Delta}{=} \mathcal{R}(n) \tag{69}$$

for some positive constants c and a. We shall refer to such a sequence of lattices as "Rogers-good". By the proof of Lemma 1 of [30], this implies in particular that for such a sequence of lattices  $G(\Lambda^{(n)}) \to \frac{1}{2\pi e}$  as  $n \to \infty$ . Also, from (69) it follows that  $\frac{1}{n} \log \left(\frac{R_u}{R_l}\right)^n \to 0$  as  $n \to \infty$ .

Corollary 1 For a sequence of Rogers-good lattices  $\Lambda^{(n)}$ ,

$$\liminf_{n \to \infty} E_{\Lambda^{(n)}}(R) \ge E_P\left(e^{2(C-R)}\right) \tag{70}$$

where  $E_P\left(e^{(2(C-R)}\right)$  is given in (65).

#### Remarks:

- Note that  $E_P(\mu)$  vanishes at  $\mu = 1$ , i.e., at  $R = C = \frac{1}{2} \log(1 + P_X/P_N)$  which is the well known capacity of the original AWGN channel.
- As noted, the exponent in (56) was derived by Poltyrev [26] in the context of coding for the unconstrained AWGN channel. In fact, the proof of Theorem 4 may be considered as an alternative simplified approach to proving Poltyrev's result. A similar simplification has been done previously in [19, Section VIII].




Figure 7: Comparison of the (lower bounds to) error exponents of the power constrained AWGN channel (dashed line) and the Poltyrev exponent (solid line). The circles in the figure separate the expurgated, straight line, and random coding part of the curves respectively.

We conjecture that (70) is in fact an equality, so that the (bounded) MLAN channel is asymptotically equivalent to the Poltyrev (unconstrained) channel with the same VNR μ. As shown in section 6.2 below, this means that the MLAN channel transformation looses in the error exponent as the rate decreases below capacity.

## 6.2 Comparison with the error exponents of the power constrained AWGN channel.

Denote the random coding error exponent of the original power constrained channel (1),(3) by  $E_{\text{CON}}^r(\mu; \text{SNR})$  (where R and  $\mu$  are related via  $\mu = e^{2(C-R)}$ ). This exponent




Figure 8: Comparison of random coding exponent of the power constrained AWGN channel (solid line) and the Poltyrev random coding exponent (dashed line). The curves depicted are all above the *critical* rates of the respective channels.

is given by [21, p. 340]

$$E_{\text{CON}}^{r}(\mu; \text{SNR})$$

$$= \frac{1}{4} \left\{ (\text{SNR} + 1 + \mu) - (\text{SNR} + 1 - \mu) \sqrt{1 + \frac{\text{SNR} + 1}{\text{SNR}} \frac{4}{\text{SNR} + 1 + \mu}} \right\}$$

$$+ \frac{1}{2} \log \left\{ \frac{\text{SNR} + 1}{\mu} - \frac{\text{SNR}}{2\mu} (\text{SNR} + 1 - \mu) \left[ \sqrt{1 + \frac{\text{SNR} + 1}{\text{SNR}} \frac{4}{\text{SNR} + 1 + \mu}} - 1 \right] \right\}$$
(71)

for

$$\frac{1}{2}\log\left[\frac{1}{2} + \frac{\text{SNR}}{4} + \frac{1}{2}\sqrt{1 + \frac{\text{SNR}^2}{4}}\right] \le R \le \frac{1}{2}\log(1 + \text{SNR}). \tag{73}$$

The expurgated exponent is given by [21][p. 342]

$$E_{\text{CON}}^{ex}(\mu, \text{SNR}) = \frac{\text{SNR}}{4} \left( 1 - \sqrt{1 - \frac{\mu}{1 + \text{SNR}}} \right)$$
 (74)

for

$$R \le \frac{1}{2} \log \left[ \frac{1}{2} + \frac{1}{2} \sqrt{1 + \frac{\text{SNR}^2}{4}} \right].$$
 (75)

Figure 7 compares the exponents  $E_{\text{CON}}(R)$  and  $E_P(R)$  for several SNR values. We note that at high SNR, the random coding and straight line sections of  $E_{\text{CON}}(R)$  tend to the Poltyrev exponent. This can be seen more clearly in Figure 8, where the random coding exponents are plotted as a function of the SNR and  $\mu$ . Note that  $E_P(\mu^{-1})$  does not depend on the SNR. We also note that at high SNR  $E_{\text{CON}}^{ex}(R=0)$  is twice as large as  $E_p^{ex}(R=0)$ .

#### 7 An Ensemble of Good Nested Lattice Codes

The scheme presented in Section 4.1 assumes a nested pair of lattices such that the coarse lattice is good for quantization while the fine one is good for AWGN coding under ML decoding. Later in Section 4.3, we further assumed the existence of nested lattice pairs which allow Euclidean lattice decoding to be (asymptotically) optimal.

We now define, for any coding rate (35), a random ensemble of nested lattice pairs  $\Lambda_1 \subset \Lambda$ . We show that most members of the ensemble satisfy that the coarse

lattice  $\Lambda$  is simultaneously Rogers-good (a good quantizer) and Poltyrev good (a good channel code), while the fine lattice  $\Lambda_1$  is Poltyrev-good. This will allow us to prove Theorem 5 which shows that the probability of error in the transmission scheme of Section 4.1 satisfies  $P_e = \Pr(\mathbf{N}' \notin \mathcal{V}_1) \leq e^{-n(E_{\Lambda}(R) - o_n(1))}$ .

Clearly, by integer scaling a lattice we may obtain "self-similar" nested lattices for any *integer* nesting ratio. For example, Figure 1 depicts a self-similar nested lattice pair of dimension two. The nine codewords are depicted as full circles. Note that the open circles are identical mod  $\Lambda$  to full circles. Here, the nesting ratio is three. A lattice may also have a sublattice that is a scaled and rotated version of it. See [5]. In general, the pair of nested lattices discussed in this paper need not be similar and the nesting ratio does not have to be an integer. We note that in [25] a related construction of nested trellis codes is given that is better suited for applications.

We begin with a description of Loeliger's type A construction of a random mod-p lattice ensemble [24]. See [6] for a general definition of Construction A. The construction of a good n-dimensional lattice consists of the following steps [11]:

- 1) Draw a generating vector  $\mathbf{g} = (g_1, \dots, g_n)$  according to  $g_i \sim \text{Unif}(0, \dots, p-1)$  i.i.d.,  $i = 1, \dots, n$ .
- 2) Define the discrete codebook,

$$C = \{ \mathbf{x} \in \mathbb{Z}_p^n : \mathbf{x} = (\mathbf{g} \cdot q) \bmod p \quad q = 0, \dots, p - 1. \}$$
 (76)

Note that C is a subset of the discrete cubic grid  $\{0,\ldots,p-1\}^n$ .

3) Apply Construction A to lift  $\mathcal{C}$  to  $\mathbb{R}^n$  and form the lattice:

$$\Lambda_1' = p^{-1}\mathcal{C} + \mathbb{Z}^n. \tag{77}$$

The goodness of this lattice ensemble for AWGN channel coding and for quantization is shown in [11]. We extend the discussion to the generation of a pair of nested lattices which is good for the MLAN channel. We use a transformed version

of  $\Lambda'_1$  above as the fine lattice. As for a coarse (shaping) lattice, we use a lattice  $\Lambda$  that is simultaneously Rogers-good and Poltyrev-good. This is necessary for Euclidean decoding to be adequate, since a Euclidean decoder "ignores" the folding of the noise and hence we would like the probability of folding to be (exponentially) small. In [11], it is shown that a lattice may indeed simultaneously be Rogers-good for covering and Poltyrev-good for channel coding. That is, we may take  $\Lambda$  (more precisely, the sequence of such lattices) such that the following two properties hold:

- 1.  $\left(\frac{R_u}{R_\ell}\right)^n < c \cdot n \cdot (\log n)^a$  for some constants c and a.
- 2. For any  $\sigma^2 < \sigma^2(\mathcal{V})$ ,

$$\Pr\{\mathcal{N}(0,\sigma^2) \notin \mathcal{V}\} < e^{-n[E_P(\mu) - o_n(1)]}$$
(78)

where  $\mu = \frac{\sigma^2(\mathcal{V})}{\sigma^2}$  is the VNR of the coarse lattice (viewed as a channel code) relative to a noise  $\mathcal{N}(0, \sigma^2)$ .

Note that the first property implies that  $\log(\frac{R_u}{R_\ell}) \to 0$  as  $n \to \infty$ . Let G denote the generating matrix of this lattice.

From the construction of the fine lattice  $\Lambda'_1$  above, we have that the *n*-dimensional cubic lattice  $\mathbb{Z}^n$  may be viewed as nested in the resulting lattice, i.e.,  $\mathbb{Z}^n \subset \Lambda'_1$ . The nesting ratio is given by

$$\gamma = \sqrt[n]{1/V_1'} = \sqrt[n]{p} \tag{79}$$

so the coding rate (35) is  $R = \log(\gamma) = \frac{1}{n}\log(p)$ . We now apply the linear transformation G to  $\Lambda'_1$  to obtain the modified lattice  $\Lambda_1$  such that  $(\Lambda, \Lambda_1)$  is the desired nested lattice pair. Note that the transformation does not affect the nesting ratio. Since the unit cubic lattice  $\mathbb{Z}^n$  is a sublattice of  $\Lambda'_1$ , it follows that  $\Lambda = G\mathbb{Z}^n$  is a sublattice of  $\Lambda_1 = G\Lambda'_1$ .

We may view the construction as starting with a self similar pair of nested lattices  $\Lambda \in p^{-1}\Lambda$  as depicted in Figure 1. The nesting ratio at this point is  $\sqrt[n]{p^n} = p$ . We then dilute the lattice  $p^{-1}\Lambda$  by picking one of its points, along with all its multiples modulo  $\Lambda$ . This results in a new lattice  $\Lambda_1$  and a nesting ratio of  $\sqrt[n]{p}$ . Since the

total number of codewords is p, for a given rate R we must choose  $p = [e^{nR}]$ , where  $[\cdot]$  denotes rounding to the nearest prime, and apply the above construction.

For large p, the resulting ensemble is "matched" to the  $\Lambda$ -MLAN channel, in the sense that the codewords of the fine lattice  $\Lambda_1$  become uniform over the Voronoi region of  $\Lambda$ . Hence, a typical member of the ensemble approaches the optimum random-coding error exponent of this channel. These facts are proved in the next section.

#### 8 Error Analysis in Euclidean Lattice Decoding

In this section, we prove that capacity as well as the Poltyrev exponent may be approached arbitrarily closely using nested lattices from the ensemble described in Section 7 and a Euclidean decoding metric as defined in Section 4.3. Specifically, we prove the following theorem.

Theorem 5 (Error exponent in Euclidean lattice decoding) For any rate  $R < C = \frac{1}{2} \log(1 + \text{SNR})$ , there exists a sequence of n-dimensional nested lattice pairs  $(\Lambda_1^{(n)}, \Lambda^{(n)})$  whose coding rate as defined in (35) approaches R, and whose decoding error probability (48) under Euclidean lattice decoding satisfies

$$P_e = \Pr\{\mathbf{N}' \notin \mathcal{V}_1^{(n)}\} \le e^{-n\left(E_P\left(e^{2(C-R)}\right) - o_n(1)\right)}$$

$$\tag{80}$$

where  $o_n(1) \to 0$  as  $n \to \infty$ , and  $E_p(\mu)$  is the Poltyrev exponent given in (56).

Since  $E_P(\mu) > 0$  for all  $\mu > 1$ , Theorem 5 implies that for every rate R smaller than capacity  $P_e$  goes to zero as  $n \to \infty$ , which is Theorem 3. Furthermore, since Euclidean decoding is suboptimal relative to ML decoding, Theorem 2 follows as well.

*Proof:* Assume the ensemble of nested lattices defined in the previous section with  $\sigma^2(\mathcal{V}) = P_X$  and coding rate R. We wish to evaluate the error probability  $P_e$  in lattice decoding of a random member of this ensemble using the standard random-coding error exponent method [21] (as done, e.g., by Poltyrev [26] and Loeliger [24]).

But this method assumes ML decoding, while as explained in Section 4.3 Euclidean decoding may not be ML. To overcome this difficulty, we first bound  $P_e$  by the probability of error in the presence of "truncated Gaussian" noise,  $\mathbf{Z}_{\mathcal{V}}$ , for which Euclidean decoding *is* optimal. To establish this bound, we need to define a few auxiliary random vectors.

Recall that  $\mathbf{N''} = (1 - \alpha)\mathbf{U} + \alpha\mathbf{N}$  so that  $\mathbf{N'} = \mathbf{N''} \mod \Lambda$ . That is,  $\mathbf{N''}$  is the effective noise prior to the modulo operation. In Lemmas 6 and 11 in Appendix A we show that there exists a Gaussian vector  $\mathbf{Z}^* \sim \mathcal{N}(0, P_{Z^*} \cdot \mathbf{I})$  with

$$\frac{n}{n+2} \cdot \frac{P_X P_N}{P_X + P_N} \le P_{Z^*} < \left(\frac{R_u}{R_\ell}\right)^2 \frac{P_X P_N}{P_X + P_N} \le \sqrt[n/2]{\mathcal{R}(n)} \cdot \frac{P_X P_N}{P_X + P_N} \tag{81}$$

such that

$$f_{\mathbf{N}''}(\mathbf{x}) < e^{\epsilon_1(\Lambda) \cdot n} f_{\mathbf{Z}^*}(\mathbf{x})$$
 (82)

where  $\epsilon_1(\Lambda)$  is defined in (67). That is, the density of  $\mathbf{N}''$  is not "much" greater than that of the density of a Gaussian distribution with a "slightly" greater variance. Note that the bound is uniform in  $\mathbf{x}$ , i.e.,  $\epsilon_1(\Lambda)$  does not depend on  $\mathbf{x}$ . Thus, we may bound the probability of error by

$$P_e = \Pr\{\mathbf{N}' \notin \mathcal{V}_1\} \le \Pr\{\mathbf{N}'' \notin \mathcal{V}_1\} \le e^{\epsilon_1(\Lambda) \cdot n} \Pr\{\mathbf{Z}^* \notin \mathcal{V}_1\}. \tag{83}$$

Unfortunately, we cannot apply the random-coding error exponent of Theorem 4 to bound  $\Pr\{\mathbf{Z}^* \notin \mathcal{V}_1\}$ , since  $\mathbf{Z}^*$  is not a modulo- $\Lambda$  noise. We can neither apply it to bound  $\Pr\{\mathbf{Z}^* \mod \Lambda \notin \mathcal{V}_1\}$ , because for this noise  $\mathcal{V}_1$  is not an ML region. Instead, we shall bound this probability in terms of  $\Pr\{\mathbf{Z}_{\mathcal{V}} \notin \mathcal{V}_1\}$ , where  $\mathbf{Z}_{\mathcal{V}}$  is a truncated version of  $\mathbf{Z}^*$  limited to the Voronoi region of  $\Lambda$ . That is,  $\mathbf{Z}_{\mathcal{V}}$  has the following distribution

$$f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x}) = \begin{cases} \frac{1}{1 - \epsilon_{t}(n)} f_{\mathbf{Z}^{*}}(\mathbf{x}), & \mathbf{x} \in \mathcal{V} \\ 0, & \text{otherwise,} \end{cases}$$
(84)

where

$$\epsilon_t(n) \stackrel{\Delta}{=} \Pr{\{\mathbf{Z}^* \notin \mathcal{V}\}}$$
 (85)

is the probability of truncation. Since  $\mathcal{V}_1 \subset \mathcal{V}$ , we have  $\Pr(\mathbf{Z}_{\mathcal{V}} \in \mathcal{V}_1) = \Pr(\mathbf{Z}^* \in \mathcal{V}_1) / \Pr(\mathbf{Z}^* \in \mathcal{V})$ . Thus

$$\Pr(\mathbf{Z}^* \notin \mathcal{V}_1) = 1 - \Pr(\mathbf{Z}_{\mathcal{V}} \in \mathcal{V}_1)$$
 (86)

$$= 1 - \Pr(\mathbf{Z}_{\mathcal{V}} \in \mathcal{V}_1) \Pr(\mathbf{Z}^* \in \mathcal{V})$$
 (87)

$$\leq \Pr(\mathbf{Z}_{\mathcal{V}} \notin \mathcal{V}_1) + \Pr(\mathbf{Z}^* \notin \mathcal{V}).$$
 (88)

Note that from (81), the equivalent VNR of the coarse lattice (viewed as a channel code) relative to  $Z^*$  is  $\mu = \frac{P_X}{P_{Z^*}} \ge 1 + \frac{P_X}{P_N} - o_n(1) = e^{2C} - o_n(1)$ , so from (78) the second term in (88) is upper bounded by

$$\Pr(\mathbf{Z}^* \notin \mathcal{V}) \leq e^{-n\left(E_P\left(e^{2C}\right) - o_n(1)\right)}.$$
(89)

We now turn to evaluate the first term in (88),  $\Pr(\mathbf{Z}_{\mathcal{V}} \notin \mathcal{V}_1)$ . Consider a  $(\Lambda, \mathbf{Z}_{\mathcal{V}})$ -MLAN channel

$$\mathbf{Y} = \mathbf{X} + \mathbf{Z}_{\mathcal{V}} \mod \Lambda. \tag{90}$$

The next lemma shows that when  $\Lambda$  is simultaneously good in the above senses, the exponent of this channel is arbitrarily close to the Poltyrev exponent for large enough dimension n.

**Lemma 3** If  $\Lambda$  is Rogers-good and Poltyrev-good, then the random coding exponents of the  $(\Lambda, \mathbf{Z}_{\mathcal{V}})$ -MLAN channel satisfy

$$E_{\Lambda}(R; \mathbf{Z}_{\mathcal{V}}) \ge E_{P}(e^{2(C-R)} - o_{n}(1)) - o_{n}(1).$$
 (91)

The lemma is proved in Appendix B.

We next show that we may replace the random code with a lattice from the ensemble defined in the previous section without affecting the error exponent. Consider first the random code (nonlattice) ensemble obtained by applying a uniform distribution over the fine grid  $(p^{-1} \cdot \Lambda) \cap \mathcal{V}$ . Denote the union of the random coding and expurgated error exponent corresponding to this ensemble by

$$E_{\Lambda}(R; \mathbf{Z}_{\mathcal{V}}, p) = \max \left( E_{\Lambda}^{r}(R; \mathbf{Z}_{\mathcal{V}}, p), E_{\Lambda}^{ex}(R; \mathbf{Z}_{\mathcal{V}}, p) \right). \tag{92}$$

where as above,  $p = [e^{nR}]$ . The next lemma is proved in Appendix C.

**Lemma 4** If  $\Lambda$  is Rogers-good, then

$$E_{\Lambda}^{r}(R; \mathbf{Z}_{\mathcal{V}}, p) > E_{\Lambda}^{r}(R; \mathbf{Z}_{\mathcal{V}}) - o_{n}(1). \tag{93}$$

The claim for the expurgated exponent may be proved similarly.

Consider now the ensemble of nested codes defined in Section 7. It can be seen that each codeword in the ensemble is uniformly distributed over the basic grid  $(p^{-1} \cdot \Lambda) \cap \mathcal{V}$ . Furthermore, the distribution of the difference between any two codewords is also uniform. The pairwise distribution is thus identical to that obtained by drawing each codeword independently and uniformly over the basic grid  $(p^{-1} \cdot \Lambda) \cap \mathcal{V}$  as done in the random code ensemble. Therefore (see [21]), these two ensembles have the same random coding error exponent. It may also be shown that with probability going to one (as  $n \to \infty$ ) a lattice drawn from the proposed nested lattice ensemble will satisfy the expurgated error exponent bound in (92). Thus, the probability of error for this ensemble of nested lattices when used over a  $(\Lambda, \mathbf{Z}_{\mathcal{V}})$ -MLAN channel with ML decoding is governed by the error exponent  $E_{\Lambda}(R; \mathbf{Z}_{\mathcal{V}}, p)$ . Furthermore, since  $\mathcal{V}_1 \subset \mathcal{V}$  and the density of  $\mathbf{Z}_{\mathcal{V}}$  is proportional to  $e^{-\|\mathbf{x}\|^2/2P_{Z^*}}$  inside  $\mathcal{V}$  and zero elsewhere, it follows that Euclidean decoding is ML for this channel. Thus,

$$\Pr(\mathbf{Z}_{\mathcal{V}} \notin \mathcal{V}_1) \le e^{-nE_{\Lambda}^r(R;\mathbf{Z}_{\mathcal{V}},p)}.$$
(94)

We can now combine (83), (88), (89), Lemma 3, Lemma 4 and (94), to obtain

$$\Pr(\mathbf{N}' \notin \mathcal{V}_1) \leq e^{\epsilon_1(\Lambda)} \cdot \left[ e^{-n\left(E_P\left(e^{2(C-R)}\right) - o_n(1)\right)} + e^{-n\left(E_P\left(e^{2C}\right) - o_n(1)\right)} \right] \tag{95}$$

$$\leq e^{-n\left(E_P\left(e^{2(C-R)}\right)-o_n(1)\right)}$$
(96)

where the second inequality follows because the first exponent dominates. This establishes Theorem 5.

## 9 Conclusions

We have demonstrated that using nested lattice codes in conjunction with an MMSE-scaled transformation of the AWGN channel into a modulo additive noise channel,

lattice codes can achieve capacity using *lattice decoding*. It should be noted however that the precise definition of lattice encoding and decoding used throughout this work differs somewhat from that in previous works.

This transformation of the original power-constrained channel into a modulo additive-noise channel, though sufficient for achieving capacity, is not strictly information lossless. This loss manifests itself in the error exponent. The error exponent is lower-bounded by the Poltyrev exponent, which was derived in [26] in the context of coding for the *unconstrained* AWGN channel.

As illuminated by Forney [17], the combination of MMSE estimation with a dithered lattice code presented here offers a useful connection between Wiener and Shannon theories. Recent work indeed indicates that the underlying principle may find application in diverse areas of digital communications, see, e.g., [22]. The random dither can be replaced in practice by a suitable deterministic translation of the fine lattice [17]. As discussed in Section 5, for finite dimensional (e.g., uncoded) modulation the best linear estimator slightly deviates from the MMSE solution. Section 5 also presents equivalent forms of the estimation-lattice-decoding scheme.

Similar observations were made in the source coding context, by incorporating filters with dithered lattice quantizers [32]. Here the role of shaping is accomplished by entropy coding. As in the scaled MLAN transformation, with "good" lattices and optimum filters entropy coded dithered lattice quantization achieves Shannon's rate-distortion function for Gaussian sources.

The proposed encoding scheme may easily be generalized to non-white Gaussian noise/linear Gaussian ISI channels. The scheme also is related to "dirty paper" coding techniques. In particular, the coarse lattice component of the nested code plays a role similar to that of the "lattice strategy" for canceling interference known to the transmitter [12], stemming from the work of Costa on the "dirty paper" channel [8]. Indeed, the present work was directly motivated by [12]. In this respect, it confirms that various lattice theoretic schemes such as trellis shaping and precoding for ISI channels may be extended so as to achieve capacity at any SNR and there is no

"inherent" precoding loss. See [33, 25, 13] for a detailed account.

The notion of "good" nested lattices is central to our approach. Such codes are useful for "structured binning" [3, 33]. As mentioned in Section 7, one approach to the construction of such codes is by using self-similar lattices [5]. However, this approach is limited and it is not clear that any nesting ratio may be approached with self-similar lattices. The construction given in Section 7 is more general and allows for any nesting ratio. Furthermore, it may readily be interpreted in terms of conventional coding techniques in the spirit of trellis shaping [16].

## Appendix

## A Random Coding Error Exponents of MLAN Channel

In this section, we prove the following two propositions which together constitute Theorem 4.

#### Proposition 1

$$E_{\Lambda}^{r}(R) \ge E_{P}^{r} \left( e^{2(C - R - \epsilon_{2}(\Lambda))} \right) - \epsilon_{1}(\Lambda) \tag{97}$$

for  $\max(0, C - \frac{\log 2}{2}) \le R < C$ , where  $\epsilon_1(\Lambda)$  and  $\epsilon_2(\Lambda)$  are defined in (67) and (68) respectively.

#### Proposition 2

$$E_{\Lambda}^{x}(R) \ge E_{P}^{x} \left( e^{2(C - R - \epsilon_{2}(\Lambda))} \right) - \epsilon_{1}(\Lambda) \tag{98}$$

for  $0 < R \le \max(0, C - \log 2)$ .

Before proving the first proposition, we introduce two lemmas. We use the following identity that relates the Poltyrev random coding exponent to that of an "infinite dimensional" MLAN channel.

### Lemma 5 (Poltyrev exponent as a "spherical" MLAN exponent I)

$$\max_{0 < \rho \le 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - h_{\bar{\rho}}(Z) - R \right] = E_P^r(\mu)$$
 (99)

with  $\mu = e^{2(C-R)}$  and  $Z \sim \mathcal{N}(0, \frac{P_X P_N}{P_X + P_N})$ .

*Proof:* Let  $\delta^* = \frac{e^R}{\sqrt{2\pi e P_X}}$ . Using the fact that for Rényi entropy (as for Shannon entropy),  $h_{\bar{\rho}}(aX) = h_{\bar{\rho}}(X) + \log a$ , we can rewrite (99) as

$$\max_{0<\rho<1} -\rho h_{\bar{\rho}}(\delta^* Z) = E_P^r(\mu) \tag{100}$$

Define  $Z_2 = \delta^* Z$ . The Rényi entropy of order  $\bar{\rho}$  of a (generic) Gaussian random variable X with variance  $P_X$  is

$$h_{\bar{\rho}}(X) = h(X) - \frac{1}{2} \log e \bar{\rho}^{\frac{1}{1-\bar{\rho}}}$$
 (101)

$$= \frac{1}{2} \left[ \log 2\pi P_X - \frac{1}{1-\bar{\rho}} \log \bar{\rho} \right] \tag{102}$$

$$= \frac{1}{2} \left[ \log 2\pi P_X + \frac{1+\rho}{\rho} \log(1+\rho) \right]$$
 (103)

substituting  $\bar{\rho} = \frac{\rho}{1+\rho}$ . We therefore have

$$\rho h_{\bar{\rho}}(Z_2) = \frac{1}{2} \left[ \rho \log 2\pi P_{Z_2} + (1+\rho) \log(1+\rho) \right]. \tag{104}$$

Taking the derivative of  $-\rho h_{\bar{\rho}}(Z_2)$  with respect to  $\rho$ , we get

$$\frac{d}{d\rho} \left[ -\rho h_{\bar{\rho}}(Z_2) \right] = -\frac{1}{2} \left[ \log 2\pi P_{Z_2} + \log(1+\rho) + 1 \right] \tag{105}$$

Thus, an extremum occurs when

$$\log(1+\rho) = -\log 2\pi e P_{Z_2} \tag{106}$$

or equivalently when

$$\rho = \frac{1}{2\pi e P_{Z_2}} - 1. \tag{107}$$

It is easy to verify that this extremum is indeed a maximum. Substituting (106) and (107) in (104), we get

$$\max_{\rho} -\rho h_{\bar{\rho}}(Z_2) = -\frac{1}{2} \left[ \frac{\log 2\pi P_{Z_2}}{2\pi e P_{Z_2}} - \log 2\pi P_{Z_2} - \frac{1}{2\pi e P_{Z_2}} \cdot \log 2\pi e P_{Z_2} \right] (108)$$

$$= \frac{1}{2} \left[ -\frac{1}{2\pi e P_{Z_2}} - \log 2\pi e P_{Z_2} + 1 \right]. \tag{109}$$

From the definition of  $Z_2$  (57), we get

$$P_{Z_2} = \delta^{*2} P_Z = \frac{e^{2R}}{2\pi e P_X} \cdot \frac{P_X P_N}{P_X + P_N} = \frac{e^{2R}}{2\pi e (1 + \text{SNR})} = \frac{1}{2\pi e \mu}$$
(110)

Substituting (110) for  $P_{Z_2}$  in (109) we get

$$\max_{0<\rho<1} -\rho h_{\bar{\rho}}(Z_2) = \frac{1}{2} \left[ (\mu - 1) - \log \mu \right]. \tag{111}$$

Finally, from (107) and (110) we note that  $\rho = 1$  corresponds to a rate R satisfying

$$1 = \frac{1}{2\pi e/(2\pi e^{\frac{1+\text{SNR}}{e^{2R}}})} - 1 \tag{112}$$

from which we obtain the critical rate

$$R = C - \frac{\log 2}{2}.\tag{113}$$

We next define a number of auxiliary random variables. Let  $R_u$  be the covering radius of  $\Lambda$ . Denote by  $\mathcal{B}(R_u)$  a ball of radius  $R_u$  and let  $\sigma^2$  be the second moment per dimension of  $\mathcal{B}(R_u)$ . We have (see, e.g., [30], for details)

$$\sigma^{2} = \frac{1}{n} \frac{1}{|\mathcal{B}(R_{u})|} \int_{\mathcal{B}(R_{u})} \|\mathbf{x}\|^{2} d\mathbf{x} = G_{n}^{*} \cdot |\mathcal{B}(R_{u})|^{2/n} = \frac{R_{u}^{2}}{n+2}$$
(114)

where  $G_n^*$  denotes the normalized second moment of an *n*-sphere. Note that  $\sigma^2$  is the second moment of a ball containing  $\mathcal{V}$ , which has second moment  $P_X$ . Thus,  $P_X < \sigma^2$ .

Define the following:

- $\mathbf{Z}_1 \sim \mathcal{N}(0, \sigma^2 \cdot \mathbf{I}^n)$  where  $\mathbf{I}^n$  is the identity matrix of dimension n.
- $\mathbf{Z}^* = (1 \alpha)\mathbf{Z}_1 + \alpha \mathbf{N}$ .
- $\mathbf{Z} = \mathcal{N}\left(0, \frac{P_X P_N}{P_X + P_N}\right)$ .

The variance of  $\mathbf{Z}^*$  is related to that of  $\mathbf{Z}$  by the following lemma.

#### Lemma 6

$$\frac{n}{n+2} \cdot \frac{P_X P_N}{P_X + P_N} \le \text{Var}(Z^*) = (1-\alpha)^2 \sigma^2 + \alpha^2 P_N < \left(\frac{R_u}{R_\ell}\right)^2 \frac{P_X P_N}{P_X + P_N}.$$
 (115)

*Proof:* Recall that  $\mathbf{B} \sim \mathrm{Unif}(\mathcal{B}(R_u))$  and that  $R_\ell$  satisfies  $\mathrm{Vol}(\mathcal{B}(R_\ell)) = \mathrm{Vol}(\mathcal{V})$ . Since a ball has the smallest normalized second moment, it follows that

$$\frac{1}{n}E \|\mathbf{U}\|^2 \ge \frac{1}{n}E \left\|\mathbf{B} \cdot \frac{R_{\ell}}{R_u}\right\|^2 \tag{116}$$

$$= \left(\frac{R_{\ell}}{R_u}\right)^2 \sigma^2 \tag{117}$$

$$= \left(\frac{R_{\ell}}{R_u}\right)^2 \operatorname{Var}(Z_1) \tag{118}$$

Now from (118) and (23), we see that

$$\operatorname{Var}(Z^*) = (1 - \alpha)^2 \frac{1}{n} \operatorname{Var}(\mathbf{Z}_1) + \alpha^2 \frac{1}{n} \operatorname{Var}(\mathbf{N})$$
 (119)

$$\leq (1 - \alpha)^2 \frac{1}{n} \left[ \left( \frac{R_u}{R_\ell} \right)^2 \frac{1}{n} E \| \mathbf{U} \|^2 \right] + \alpha^2 \frac{1}{n} \text{Var}(\mathbf{N})$$
 (120)

$$\leq \left(\frac{R_u}{R_\ell}\right)^2 \left[ (1-\alpha)^2 \frac{1}{n} E \|\mathbf{U}\|^2 + \alpha^2 \frac{1}{n} \text{Var}(\mathbf{N}) \right]$$
 (121)

$$= \left(\frac{R_u}{R_\ell}\right)^2 \cdot \frac{P_X P_N}{P_X + P_N}.\tag{122}$$

On the other hand, we have

$$\frac{1}{n}E\|\mathbf{U}\|^{2} \le \frac{1}{n}R_{u}^{2} = \frac{n+2}{n} \cdot \sigma^{2}$$
 (123)

from which follows the left inequality in (115).  $\square$ 

We are now ready to prove Proposition 1.

**Proof of Proposition 1:** We may bound the random coding error exponent of the  $\Lambda$ -MLAN channel as follows,

$$E_{\Lambda}^{r}(R) = \max_{0 < \rho \le 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N}') - R \right]$$

$$(124)$$

$$\geq \max_{0<\rho\leq 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} h_{\bar{\rho}}(\mathbf{N''}) - R \right]$$
 (125)

$$\geq \max_{0 < \rho < 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} h_{\bar{\rho}}(\mathbf{Z}^*) - R \right] - \epsilon_1(\Lambda) \tag{126}$$

$$= \max_{0 < \rho < 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - h_{\bar{\rho}}(Z^*) - R - \frac{1}{2} \log 2\pi e G(\Lambda) \right] - \epsilon_1(\Lambda) \quad (127)$$

$$= \max_{0<\rho\leq 1} \rho \left[\frac{1}{2}\log 2\pi e P_X - h_{\bar{\rho}}(Z)\right]$$

$$-\left[h_{\bar{\rho}}(Z^*) - h_{\bar{\rho}}(Z)\right] - R - \frac{1}{2}\log 2\pi eG(\Lambda)\right] - \epsilon_1(\Lambda)$$
(128)

$$\geq \max_{0<\rho\leq 1} \rho \Big[\frac{1}{2}\log 2\pi e P_X - h_{\bar{\rho}}(Z) - R\Big]$$

$$- \log\left(\frac{R_u}{R_\ell}\right) - \frac{1}{2}\log 2\pi eG(\Lambda) - \epsilon_1(\Lambda)$$
 (129)

$$= \max_{0<\rho<1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - h_{\bar{\rho}}(Z) - (R + \epsilon_2(\Lambda)) \right] - \epsilon_1(\Lambda)$$
 (130)

$$= E_P^r \left( e^{2(C - R - \epsilon_2(\Lambda))} \right) - \epsilon_1(\Lambda) \tag{131}$$

where (125) follows since the function  $p(x)^{\alpha}$  is convex- $\cap$  for  $0 < \alpha < 1$ ; (126) follows by Lemma 9 proved below; (129) follows by Lemma 6 and since  $h_{\beta}(aX) = h_{\beta}(X) + \log a$ ; and (131) follows by Lemma 5.  $\square$ 

#### Expurgated exponent:

We next bound the expurgated error exponent [21] of the  $\Lambda$ -MLAN channel. Since for a modulo additive noise channel the expurgated exponent is achieved by a uniform input, we have

$$E_{\Lambda}^{ex}(R) = \sup_{\rho \geq 1} \rho \left[ -\frac{1}{n} \log \int_{\mathbf{t}_{1} \in \mathcal{V}} \int_{\mathbf{t}_{2} \in \mathcal{V}} \frac{1}{V^{2}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f(\mathbf{y}|\mathbf{t}_{1})f(\mathbf{y}|\mathbf{t}_{2})} d\mathbf{y} \right)^{\frac{1}{\rho}} d\mathbf{t}_{1} d\mathbf{t}_{2} - R \right]$$

$$= \sup_{\rho \geq 1} \rho \left[ \frac{1}{n} \log V^{2} - R - \frac{1}{n} \log \int_{\mathbf{t}_{1} \in \mathcal{V}} \int_{\mathbf{t}_{2} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f_{\mathbf{N}'}([\mathbf{y} - \mathbf{t}_{1}] \mod \Lambda) f_{\mathbf{N}'}([\mathbf{y} - \mathbf{t}_{2}] \mod \Lambda)} d\mathbf{y} \right)^{\frac{1}{\rho}} d\mathbf{t}_{1} d\mathbf{t}_{2} \right]$$

$$= \sup_{\rho \geq 1} \rho \left[ \frac{1}{n} \log V^{2} - R - \frac{1}{n} \log \int_{\mathbf{t}_{1} \in \mathcal{V}} \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f_{\mathbf{N}'}([\mathbf{y} - \mathbf{t}_{1}] \mod \Lambda) f_{\mathbf{N}'}([\mathbf{y} - \mathbf{t}_{1} - \mathbf{x}] \mod \Lambda)} d\mathbf{y} \right)^{\frac{1}{\rho}} d\mathbf{x} d\mathbf{t}_{1} \right]$$

$$= \sup_{\rho \geq 1} \rho \left[ \frac{1}{n} \log V^{2} - \frac{1}{n} \log V \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f_{\mathbf{N}'}(\mathbf{y}) f_{\mathbf{N}'}([\mathbf{y} + \mathbf{x}] \mod \Lambda)} d\mathbf{y} \right)^{\frac{1}{\rho}} d\mathbf{x} - R \right]$$

$$(13)$$

The last expression my be rewritten as follows. For the  $\Lambda$ -MLAN channel, define the generalized Bhattacharyya distance of order  $\rho \geq 0$  by

$$D_{\rho}^{Bhatt}(\Lambda; \mathbf{N}') = \log \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f_{\mathbf{N}'}(\mathbf{y}) f_{\mathbf{N}'}([\mathbf{y} + \mathbf{x}] \mod \Lambda)} d\mathbf{y} \right)^{\frac{1}{\rho}}$$
(135)

Recall the definition of  $\mathbf{N''}$ , the effective noise prior to folding, i.e.,  $\mathbf{N''} = (1 - \alpha)\mathbf{U} + \alpha\mathbf{N}$ . For the noise  $\mathbf{N''}$ , define

$$D_{\rho}^{Bhatt}(\mathbf{N''}) = \log \int_{\mathbf{x} \in \mathbb{R}^n} \left( \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N''}}(\mathbf{y}) f_{\mathbf{N''}}(\mathbf{y} + \mathbf{x})} d\mathbf{y} \right)^{\frac{1}{\rho}}.$$
 (136)

We similarly define  $D_{\rho}^{Bhatt}(\mathbf{Z}^*)$ . Thus, we may write

$$E_{\Lambda}^{ex}(R; \mathbf{N}') = \sup_{\rho > 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} D_{\rho}^{Bhatt}(\Lambda; \mathbf{N}') - R \right]$$
 (137)

We have the following lemma

#### Lemma 7

$$D_{\rho}^{Bhatt}(\Lambda; \mathbf{N}') \le D_{\rho}^{Bhatt}(\mathbf{N}'') \tag{138}$$

Proof:

$$D_{\rho}^{Bhatt}(\Lambda; \mathbf{N}') = \log \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{f_{\mathbf{N}'}(\mathbf{y}) f_{\mathbf{N}'}([\mathbf{y} + \mathbf{x}] \bmod \Lambda)} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sqrt{\sum_{\lambda \in \Lambda} f_{\mathbf{N}''}(\mathbf{y} + \lambda) \sum_{\lambda' \in \Lambda} f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$\geq \log \int_{\mathbf{x} \in \mathcal{V}} \left( \int_{\mathbf{y} \in \mathcal{V}} \sum_{\lambda \in \Lambda} \sum_{\lambda' \in \Lambda} \sqrt{f_{\mathbf{N}''}(\mathbf{y} + \lambda) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$= \log \int_{\mathbf{x} \in \mathcal{V}} \left( \sum_{\lambda' \in \Lambda} \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$

$$\leq \log \int_{\mathbf{x} \in \mathcal{V}} \sum_{\lambda' \in \Lambda} \left( \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N''}}(\mathbf{y}) f_{\mathbf{N'}}((\mathbf{y} + \mathbf{x}) \bmod \Lambda + \lambda')} d\mathbf{y} \right)^{\frac{1}{\rho}}$$
(143)

$$= \log \int_{\mathbf{x} \in \mathbb{R}^n} \left( \int_{\mathbf{y} \in \mathbb{R}^n} \sqrt{f_{\mathbf{N}''}(\mathbf{y}) f_{\mathbf{N}'}(\mathbf{y} + \mathbf{x})} d\mathbf{y} \right)^{\frac{1}{\rho}}$$
(144)

$$= D_{\rho}^{Bhatt}(\mathbf{N''}) \tag{145}$$

where (141) follows by the convexity of the function  $\sqrt{x}$  and (143) follows by the convexity of the function  $x^{1/\rho}$  for  $\rho > 1$ .  $\square$ 

We also have the following identity (analogous to Lemma 5) that relates the Poltyrev expurgated exponent to that of an "infinite dimensional" spherical MLAN channel.

#### Lemma 8 (Poltyrev exponent as a "spherical" MLAN exponent II)

$$\sup_{\rho \ge 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - D_\rho^{Bhatt}(Z) - R \right] = E_P^r(\mu)$$
 (146)

for  $0 < R \le \max(0, C - \log 2)$  with  $\mu = e^{2(C-R)}$ .

*Proof:* Let us first compute  $D_{\rho}^{Bhatt}(Z)$ . We use the following property of Gaussian

distributions,

$$f_Z(y+x)f_Z(x) = f_{Z/\sqrt{2}}(y+x/2)f_{\sqrt{2}Z}(x)$$
 (147)

$$= \frac{1}{\sqrt{2\pi}(\sigma/\sqrt{2})} e^{-\frac{(y+x/2)^2}{2(\sigma/\sqrt{2})^2}} \cdot \frac{1}{\sqrt{2\pi}(\sqrt{2}\sigma)} e^{-\frac{x^2}{2(\sqrt{2}\sigma)^2}}$$
(148)

where  $\sigma^2 = \text{Var}(Z) = \frac{P_X P_N}{P_X + P_N}$ . This follows since

$$f_Z(y)f_Z(y+x) = \frac{1}{\sqrt{2\pi}\sigma}e^{-\frac{y^2}{2\sigma^2}} \cdot \frac{1}{\sqrt{2\pi}\sigma}e^{-\frac{(y+x)^2}{2\sigma^2}}$$
 (149)

$$= \left(\frac{1}{\sqrt{2\pi}\sigma}\right)^2 e^{-\frac{2y^2 + 2yx + x^2}{2\sigma^2}} \tag{150}$$

$$= \frac{1}{\sqrt{2\pi}(\sigma/\sqrt{2})} \frac{1}{\sqrt{2\pi}(\sqrt{2}\sigma)} e^{-\frac{(\sqrt{2}y+x/\sqrt{2})^2}{2\sigma^2}} \cdot e^{-\frac{(x/\sqrt{2})^2}{2\sigma^2}}$$
(151)

$$= \frac{1}{\sqrt{2\pi}(\sigma/\sqrt{2})} e^{-\frac{(y+x/2)^2}{2(\sigma/\sqrt{2})^2}} \cdot \frac{1}{\sqrt{2\pi}(\sqrt{2}\sigma)} e^{-\frac{x^2}{2(\sqrt{2}\sigma)^2}}.$$
 (152)

We obtain

$$D_{\rho}^{Bhatt}(Z) = \log \int_{x \in \mathbb{R}} \left( \int_{y \in \mathbb{R}} \sqrt{f_Z(x) f_Z(x+y)} dy \right)^{\frac{1}{\rho}} dx$$
 (153)

$$= \log \int_{x \in \mathbb{R}} \left( \int_{y \in \mathbb{R}} \sqrt{\frac{1}{\sqrt{2\pi}\sigma}} e^{-\frac{x^2}{2\sigma^2}} \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{(x+y)^2}{2\sigma^2}} dy \right)^{\frac{1}{\rho}} dx \quad (154)$$

$$= \log \int_{x} \left( \int_{y} \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{(y+x/2)^{2}}{2\sigma^{2}}} e^{-\frac{x^{2}}{2(2\sigma)^{2}}} dy \right)^{\frac{1}{\rho}} dx \tag{155}$$

$$= \log \int_{x} \left( e^{-\frac{x^{2}}{2(2\sigma)^{2}}} \int_{y} \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{(y+x/2)^{2}}{2\sigma^{2}}} dy \right)^{\frac{1}{\rho}} dx \tag{156}$$

$$= \log \int_{\sigma} e^{-\frac{x^2}{2(2\sqrt{\rho}\sigma)^2}} dx \tag{157}$$

$$= \log \sqrt{2\pi} 2\sqrt{\rho}\sigma \tag{158}$$

$$= \frac{1}{2}\log 8\pi\sigma^2\rho. \tag{159}$$

Plugging (159) into the l.h.s. of (146) and substituting  $\delta^* = \frac{e^R}{\sqrt{2\pi e P_X}}$ , it is left to show that

$$\sup_{\rho \ge 1} \rho [-\log \delta^* - \frac{1}{2} \log 8\pi \rho \sigma^2] = E_P^r(\mu)$$
 (160)

for  $0 < R \le \max(0, C - \log 2)$  with  $\mu = e^{2(C-R)}$ . Differentiating the left side of (160), we get

$$\frac{d}{d\rho}\rho \left[ -\log \delta^* - \frac{1}{2}\log 8\pi \rho \sigma^2 \right] = \left[ -\log \delta^* - \frac{1}{2}\log 8\pi \rho \sigma^2 \right] - \rho \frac{1}{2} \frac{8\pi \sigma^2}{8\pi \sigma^2 \rho} (161)$$

$$= -\log \delta^* - \frac{1}{2}\log 8\pi \sigma^2 \rho - \frac{1}{2}. \tag{162}$$

Equating to zero, we obtain

$$\log \frac{1}{\delta^{*2} \cdot 8\pi \sigma^2 \rho} = 1 \tag{163}$$

or equivalently

$$\rho = \frac{1}{\delta^{*2} \cdot 8\pi e\sigma^2}.\tag{164}$$

Substituting (164) into (160), we have

$$\sup_{\rho \ge 1} \rho \left[ -\log \delta^* - \frac{1}{2} \log 8\pi \rho \sigma^2 \right] = \frac{1}{\delta^{*2} \cdot 8\pi e \sigma^2} \left[ -\log \delta^* + \frac{1}{2} \log \delta^{*2} e \right] = \frac{1}{\delta^{*2} \cdot 16\pi e \sigma^2}.$$
(165)

Taking into account that  $\sigma^2 = \frac{P_X P_N}{P_X + P_N}$ , we get

$$\sup_{\rho > 1} \rho \left[ -\log \delta^* - \frac{1}{2} \log 8\pi \rho \sigma^2 \right] = \frac{1}{\delta^{*2} \cdot 16\pi e \sigma^2} = \frac{\mu}{8}.$$
 (166)

Finally, note that from (164), we have that  $\rho = 1$  corresponds to a rate satisfying

$$1 = \frac{2\pi e P_X / e^{2R}}{8\pi \frac{P_X P_N}{P_X + P_N}} \tag{167}$$

or

$$R = \frac{1}{2} \log \left( \frac{2\pi e P_X}{8\pi e \frac{P_X P_N}{P_X + P_N}} \right) = \frac{1}{2} \log \frac{1 + \text{SNR}}{4} = C - \log 2.$$
 (168)

We are now ready to prove Proposition 2.

**Proof of Proposition 2:** We bound the MLAN expurgated exponent as follows

$$E_{\Lambda}^{ex}(R; \mathbf{N}') = \tag{169}$$

$$= \sup_{\rho > 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} D_{\rho}^{Bhatt} (\Lambda; \mathbf{N}') - R \right]$$
 (170)

$$\geq \sup_{\rho \geq 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} D_{\rho}^{Bhatt}(\mathbf{N''}) - R \right]$$
 (171)

$$\geq \sup_{\rho \geq 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} D_{\rho}^{Bhatt}(\mathbf{Z}^*) - R \right] - \epsilon_1(\Lambda)$$
 (172)

$$= \sup_{\rho \ge 1} \rho \left[ \frac{1}{2} \log \frac{P_X}{G(\Lambda)} - \frac{1}{n} D_{\rho}^{Bhatt}(\mathbf{Z}^*) - R \right] - \epsilon_1(\Lambda)$$
 (173)

$$= \sup_{\rho \ge 1} \rho \left[ \frac{1}{n} \log 2\pi e P_X - \frac{1}{n} D_{\rho}^{Bhatt}(\mathbf{Z}^*) - R - \log 2\pi e G(\Lambda) \right] - \epsilon_1(\Lambda)$$
 (174)

$$\sup_{\rho \ge 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - \left( D_\rho^{Bhatt}(Z^*) + D_\rho^{Bhatt}(Z) \right) \right] \tag{175}$$

$$-D_{\rho}^{Bhatt}(Z) - R - \log 2\pi e G(\Lambda) - \epsilon_1(\Lambda)$$
 (176)

$$= \sup_{\rho \ge 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - D_\rho^{Bhatt}(Z) - R - \sqrt{\frac{\operatorname{Var}(Z^*)}{\operatorname{Var}(Z)}} - \log 2\pi e G(\Lambda) \right] - \epsilon_1(\Lambda)$$
 (177)

$$\geq \sup_{\rho \geq 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - D_{\rho}^{Bhatt}(Z) - R - \log 2\pi e G(\Lambda) - \log \left( \frac{R_u}{R_\ell} \right) \right] - \epsilon_1(\Lambda)$$
 (178)

$$= \sup_{\rho > 1} \rho \left[ \frac{1}{2} \log 2\pi e P_X - D_{\rho}^{Bhatt}(Z) - (R + \epsilon_2(\Lambda)) \right] - \epsilon_1(\Lambda)$$
 (179)

$$= E_P^r \left( e^{2(C - R - \epsilon_2(\Lambda))} \right) - \epsilon_1(\Lambda) \tag{180}$$

where (171) follows by Lemma 7; (172) follows by Lemma 10; ; (178) follows by Lemma 6; and (180) follows from Lemma 8.  $\square$ 

The straight line part of the bound on  $E_{\Lambda}(R; \mathbf{N}')$  in Theorem 4 now follows by combining the results for the random coding exponent and the expurgated exponent.

**Lemma 9** For any  $\rho > 0$ 

$$\frac{1}{n}\rho h_{\bar{\rho}}(\mathbf{N''}) < \frac{1}{n}\rho h_{\bar{\rho}}(\mathbf{Z}^*) + \epsilon_1(\Lambda). \tag{181}$$

*Proof:* Using Lemma 11, which is proved below, for any  $\rho > 0$ 

$$\frac{1}{n}\rho h_{\alpha}(\mathbf{N''}) \leq \frac{1}{n} \cdot \rho \cdot \frac{1}{\rho} \log \|e^{n\epsilon_{1}(\Lambda)} f_{\mathbf{Z}^{*}}(\mathbf{x})\|_{\bar{\rho}}$$
(182)

$$= \frac{1}{n} \log \|f_{\mathbf{Z}^*}(\mathbf{x})\|_{\bar{\rho}} + \epsilon_1(\Lambda)$$
 (183)

$$= \frac{1}{n}\rho h_{\alpha}(\mathbf{Z}^*) + \epsilon_1(\Lambda) \tag{184}$$

**Lemma 10** For any  $\rho > 1$ 

$$\frac{1}{n}\rho D_{\rho}^{Bhatt}(\mathbf{N''}) < \frac{1}{n}\rho D_{\rho}^{Bhatt}(\mathbf{Z}^*) + \epsilon_1(\Lambda). \tag{185}$$

*Proof:* Using Lemma 11 which is proved below, for any  $\rho > 0$ 

$$\frac{1}{n}\rho D_{\rho}^{Bhatt}(\mathbf{N}'') \leq \frac{1}{n}\rho\log\int_{\mathbf{x}\in\mathbb{R}^{n}} \left(\int_{\mathbf{y}\in\mathbb{R}^{n}} \sqrt{e^{n\epsilon_{1}(\Lambda)}} f_{\mathbf{Z}^{*}}(\mathbf{y}) e^{n\epsilon_{1}(\Lambda)} f_{\mathbf{Z}^{*}}(\mathbf{y}+\mathbf{x}) d\mathbf{y}\right)^{\frac{1}{\rho}}$$

$$= \frac{1}{n}\rho\log\int_{\mathbf{x}\in\mathbb{R}^{n}} \left(\int_{\mathbf{y}\in\mathbb{R}^{n}} \sqrt{f_{\mathbf{Z}^{*}}(\mathbf{y})} f_{\mathbf{Z}^{*}}(\mathbf{y}+\mathbf{x}) d\mathbf{y}\right)^{\frac{1}{\rho}} + \epsilon_{1}(\Lambda)$$

$$= \frac{1}{n}\rho D_{\rho}^{Bhatt}(\mathbf{Z}^{*}) + \epsilon_{1}(\Lambda) \tag{186}$$

#### Lemma 11

$$\frac{1}{n}\log\frac{f_{\mathbf{N''}}(\mathbf{x})}{f_{\mathbf{Z}^*}(\mathbf{x})} = \epsilon_1(\Lambda). \tag{187}$$

*Proof:* Let **B** denote a random vector uniformly distributed over a ball of radius  $R_u$  and  $f_{\mathbf{B}}(\cdot)$  denotes its density

$$f_{\mathbf{B}}(\mathbf{x}) = \begin{cases} (\gamma_n \cdot R_u^n)^{-1}, & \|\mathbf{x}\| \le R_u \\ 0, & \text{elsewhere} \end{cases}$$
 (188)

where  $\gamma_n$  is the volume of a unit sphere of dimension n. Since **U** is uniformly distributed over  $\mathcal{V}$ , for any  $\mathbf{x} \in \mathcal{V}$  we have

$$\frac{f_{\mathbf{U}}(\mathbf{x})}{f_{\mathbf{B}}(\mathbf{x})} = \frac{\operatorname{Vol}(\mathcal{B}(R_u))}{\operatorname{Vol}(\mathcal{V})} = \left(\frac{R_u}{R_\ell}\right)^n.$$
(189)

Thus

$$f_{\mathbf{U}}(\mathbf{x}) \le \left(\frac{R_u}{R_\ell}\right)^n f_{\mathbf{B}}(\mathbf{x})$$
 (190)

We next observe that for any x

$$\frac{1}{n}\log\frac{f_{\mathbf{B}}(\mathbf{x})}{f_{\mathbf{Z}_1}(\mathbf{x})} \le \frac{1}{2}\log 2\pi eG_n^* + \frac{1}{n}$$
(191)

where  $\mathbf{Z}_1$  is defined after (114), i.e., is Gaussian having the same second moment ad  $\mathbf{B}$  defined in (188). To see this note that for  $\|\mathbf{x}\| = \sqrt{n}\sigma$  we have

$$-\frac{1}{n}\log f_{\mathbf{Z}_1}(\mathbf{x}) = \frac{1}{2}\log 2\pi e\sigma^2 = h(Z_1).$$
 (192)

Using (114) we have that

$$\frac{f_{\mathbf{Z}_1}(R_u)}{f_{\mathbf{Z}_1}(\sqrt{n}\sigma)} = \exp\left\{-\frac{(n+2)\sigma^2}{2\sigma^2} + \frac{n\sigma^2}{2\sigma^2}\right\} = \frac{1}{e}.$$
 (193)

Combining (192) and (193), we get that for  $\|\mathbf{x}\| = R_u$ , we have

$$-\frac{1}{n}\log f_{\mathbf{Z}_1}(\mathbf{x}) = h(Z_1) - \frac{1}{n}\log\frac{1}{e} = h(Z_1) + \frac{1}{n}$$
(194)

We also have for any **x** such that  $||x|| \leq R_u$ 

$$-\frac{1}{n}\log f_{\mathbf{B}}(\mathbf{x}) = \frac{1}{n}\log \operatorname{Vol}(\mathcal{B}(R))$$
 (195)

$$= \frac{1}{2} \log \frac{\sigma^2}{G_n^*} \tag{196}$$

$$= \frac{1}{2}\log 2\pi e\sigma^2 - \frac{1}{2}\log 2\pi eG_n^* \tag{197}$$

$$= h(Z_1) - \frac{1}{2} \log 2\pi e G_n^*. \tag{198}$$

Since  $f_{\mathbf{Z}_1}(\mathbf{x})$  is monotonically decreasing with  $\|\mathbf{x}\|$ , we have that (194) together with (198) imply that for any  $\mathbf{x}$ 

$$\frac{1}{n}\log\frac{f_{\mathbf{B}}(\mathbf{x})}{f_{\mathbf{Z}_{1}}(\mathbf{x})} < \frac{1}{2}\log 2\pi eG_{n}^{*} + \frac{1}{n}$$

$$\tag{199}$$

We thus get

$$\frac{1}{n}\log\frac{f_{\mathbf{U}}(\mathbf{x})}{f_{\mathbf{Z}_{1}}(\mathbf{x})} = \frac{1}{n}\log\frac{f_{\mathbf{U}}(\mathbf{x})}{f_{\mathbf{B}}(\mathbf{x})} + \frac{1}{n}\log\frac{f_{\mathbf{B}}(\mathbf{x})}{f_{\mathbf{Z}_{1}}(\mathbf{x})}$$

$$\leq \log\left(\frac{R_{u}}{R_{\ell}}\right) + \frac{1}{2}\log 2\pi eG_{n}^{*} + \frac{1}{n}$$

$$= \epsilon_{1}(\Lambda). \tag{200}$$

Recall that

$$\mathbf{N''} = (1 - \alpha)\mathbf{U} + \alpha\mathbf{N} \tag{201}$$

and

$$\mathbf{Z}^* = (1 - \alpha)\mathbf{Z}_1 + \alpha\mathbf{N} \tag{202}$$

It follows from (200), (201) and (202) that

$$\frac{1}{n}\log\frac{f_{\mathbf{N''}}(\mathbf{x})}{f_{\mathbf{Z}^*}(\mathbf{x})} \le \epsilon_1(\Lambda). \tag{203}$$

## B Proof of Lemma 3: Exponent of truncated Gaussian MLAN channel

The random coding error exponent of the  $(\Lambda, \mathbf{Z}_{\mathcal{V}})$ - MLAN channel is given by

$$E_{\Lambda}(R; \mathbf{Z}_{\mathcal{V}}) = \max_{0 \le \rho \le 1} \rho \left[ \frac{1}{n} \log V - \frac{1}{n} h_{\bar{\rho}}(\mathbf{Z}_{\mathcal{V}}) - R \right]$$
 (204)

We further have (recall that  $\mathbf{Z}_{\mathcal{V}}$  is truncated version of  $\mathbf{Z}^*$ , see (84))

$$h_{\alpha}(\mathbf{Z}_{\mathcal{V}}) = \frac{1}{1-\alpha} \log \int_{\mathcal{V}} \left( \frac{f_{\mathbf{Z}^*}(\mathbf{x})}{1-\epsilon_t(n)} \right)^{\alpha} d\mathbf{x}$$
 (205)

$$< \frac{1}{1-\alpha} \log \int_{\mathbb{R}^n} \left( \frac{f_{\mathbf{Z}^*}(\mathbf{x})}{1-\epsilon_t(n)} \right)^{\alpha} d\mathbf{x}$$
 (206)

$$= \frac{\alpha}{1-\alpha} \log \frac{1}{1-\epsilon_t(n)} + \frac{1}{1-\alpha} \log \int_{\mathbb{R}^n} f_{\mathbf{Z}^*}(\mathbf{x})^{\alpha} d\mathbf{x}.$$
 (207)

Taking  $\alpha = \bar{\rho} = \frac{1}{1+\rho}$  we get

$$\rho h_{\bar{\rho}}(\mathbf{Z}_{\mathcal{V}}) < \rho h_{\bar{\rho}}(\mathbf{Z}^*) + \log \frac{1}{1 - \epsilon_t(n)}. \tag{208}$$

Similarly we have

$$\rho D_{\rho}^{Bhatt}(\mathbf{Z}_{\mathcal{V}}) < \rho D_{\rho}^{Bhatt}(\mathbf{Z}^*) + \log \frac{1}{1 - \epsilon_t(n)}.$$
 (209)

Therefore, following the steps in the proof of Theorem 4 we get

$$E_{\Lambda}(R; \mathbf{Z}_{\mathcal{V}}) = E_{P}(\mu) - o_{n}(1). \tag{210}$$

This completes the proof.

# C Proof of Lemma 4: Exponent robust to fine quantization of input

Consider the random coding error exponent corresponding to a uniform distribution over the basic grid  $(p^{-1} \cdot \Lambda) \cap \mathcal{V}$ . It is given by

$$E_{\Lambda}^{r}(R; \mathbf{Z}_{\mathcal{V}}, p) = \max_{0 < \rho < 1} \left[ E_{\Lambda}^{0}(R; \mathbf{Z}_{\mathcal{V}}, p) - \rho R \right]$$
(211)

where

$$E_{\Lambda}^{0}(R; \mathbf{Z}_{\mathcal{V}}, p) = -\frac{1}{n} \log \int_{\mathbf{y} \in \mathcal{V}} \left( \frac{1}{|(p^{-1} \cdot \Lambda) \cap \mathcal{V}|} \sum_{\mathbf{x} \in (p^{-1} \cdot \Lambda) \cap \mathcal{V}} f_{Z_{\mathcal{V}}}([\mathbf{y} - \mathbf{x}] \mod \Lambda)^{\frac{1}{1+\rho}} \right)^{1+\rho} d\mathbf{y}.$$

$$(212)$$

Compare this with the random coding exponent corresponding to a uniform input, which is given by

$$E_{\Lambda}^{r}(R; \mathbf{Z}_{\mathcal{V}}) = \max_{0 < \rho \le 1} \rho \left[ E_{\Lambda}^{0}(R; \mathbf{Z}_{\mathcal{V}}) - \rho R \right]$$
 (213)

where

$$E_{\Lambda}^{0}(R; \mathbf{Z}_{\mathcal{V}}) = -\frac{1}{n} \log \int_{\mathbf{y} \in \mathcal{V}} \left( \frac{1}{V} \int_{\mathbf{x} \in \mathcal{V}} f_{Z_{\mathcal{V}}}([\mathbf{y} - \mathbf{x}] \mod \Lambda)^{\frac{1}{1+\rho}} d\mathbf{x} \right)^{1+\rho} d\mathbf{y} = (214)$$

$$-\frac{1}{n} \log \int_{\mathbf{y} \in \mathcal{V}} \left( \frac{1}{|(p^{-1} \cdot \Lambda) \cap \mathcal{V}|} \sum_{\mathbf{x} \in (p^{-1} \cdot \Lambda) \cap \mathcal{V}} \int_{\mathbf{z} \in p^{-1} \cdot \mathcal{V}} \frac{1}{|p^{-1} \cdot \mathcal{V}|} f_{Z_{\mathcal{V}}}([\mathbf{y} - \mathbf{x} - \mathbf{z}] \mod \Lambda)^{\frac{1}{1+\rho}} d\mathbf{z} \right)^{1+\rho} d\mathbf{y}$$

We next show that for any  $\mathbf{x} \in \mathcal{V}$  and  $\mathbf{z} \in p^{-1} \cdot \mathcal{V}$ ,

$$\frac{1}{|p^{-1}\cdot\mathcal{V}|} \int_{\mathbf{z}\in p^{-1}\cdot\mathcal{V}} f_{Z_{\mathcal{V}}}([\mathbf{x}-\mathbf{z}] \bmod \Lambda) d\mathbf{z} = (1+o_n(1))f_{Z_{\mathcal{V}}}(\mathbf{x} \bmod \Lambda)$$
(215)

where  $\Lambda$  is assumed to be any Rogers-good lattice. Consider a ball of radius  $R_{\ell}$  and volume  $|\mathcal{B}(R_{\ell})| = V$ . We have

$$G_n^* \cdot |\mathcal{B}(R_\ell)|^{2/n} = \frac{R_\ell^2}{(n+2)}.$$
 (216)

Since  $P_X = G(\Lambda)V^{2/n}$ , this gives

$$R_{\ell} = \sqrt{(n+2)\frac{G_n^*}{G(\Lambda)}P_X} = \sqrt{\frac{n+2}{n}\frac{G_n^*}{G(\Lambda)}} \cdot \sqrt{nP_X}$$
 (217)

For Rogers-good lattices, we have  $\frac{G(\Lambda)}{G_n^*} \to 1$  and  $\frac{R_u}{R_\ell} = \mathcal{R}(n)^{1/n} = 1 + o_n(1)$ . Combined with (216), this implies that for any  $\mathbf{x} \in \mathcal{V}$ ,

$$\|\mathbf{x}\| \le R_u = \mathcal{R}(n)^{1/n} R_\ell = (1 + o_n^*(1)) \sqrt{nP_X}$$
 (218)

where here  $o_n^*(1) = \sqrt{\frac{n+2}{n} \frac{G_n^*}{G(\Lambda)}} \cdot \mathcal{R}(n)^{1/n} - 1$ . Recalling that  $p = [e^{nR}]$ , we also have for any  $\mathbf{z} \in p^{-1} \cdot \mathcal{V}$ ,

$$\|\mathbf{z}\| \le \frac{R_u}{p} = (1 + o_n^*(1)) \frac{\sqrt{nP_X}}{e^{nR}}.$$
 (219)

For any  $\mathbf{x} \in \mathcal{V}$ ,

$$f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x}) = \frac{1}{1 - \epsilon_t(n)} \cdot \frac{1}{\sqrt{(2\pi P_{Z^*})^n}} \cdot e^{\frac{-\sum_{i=1}^n x_i^2}{2P_{Z^*}}} \propto e^{\frac{-\sum_{i=1}^n x_i^2}{2P_{Z^*}}}.$$
 (220)

By the Cauchy-Schwarz inequality,

$$\|\mathbf{x}\|^2 - 2\|\mathbf{x}\|\|\mathbf{z}\| + \|\mathbf{z}\|^2 \le \|\mathbf{x} + \mathbf{z}\|^2 \le \|\mathbf{x}\|^2 + 2\|\mathbf{x}\|\|\mathbf{z}\| + \|\mathbf{z}\|^2$$
 (221)

Therefore

$$f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x})e^{\frac{-\|\mathbf{z}\|^{2}-2\|\mathbf{x}\|\|\mathbf{z}\|}{2P_{Z^{*}}}} \le f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x}+\mathbf{z}) \le f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x})e^{\frac{+\|\mathbf{z}\|^{2}+2\|\mathbf{x}\|\|\mathbf{z}\|}{2P_{Z^{*}}}}$$
(222)

Now

$$\frac{\|\mathbf{z}\|^2 + 2\|\mathbf{x}\|\|\mathbf{z}\|}{2P_{Z^*}} \le \frac{nP_X/p^2 + 2nP_X/p}{2P_{Z^*}} (1 + o_n^*(1)) = \frac{nP_X}{e^{nR}P_{Z^*}} (1 + o_n(1)) = o_n(1).$$
(223)

The last two inequalities imply that

$$f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x} + \mathbf{z} \bmod \Lambda) = (1 + o_n(1))f_{\mathbf{Z}_{\mathcal{V}}}(\mathbf{x}). \tag{224}$$

Consequently, we obtain (215). Substituting (215) into (214), it follows that

$$E_{\Lambda}^{0}(R; \mathbf{Z}_{V}, p) - E_{\Lambda}^{0}(R; \mathbf{Z}_{V}) = o_{n}(1). \tag{225}$$

This proves the lemma.

## Acknowledgment

The authors wish to thank G. Poltyrev for early discussions which contributed to the development of some of the ideas in this work. The authors are also indebted to G. D. Forney, Jr. and to H. A. Loeliger for very helpful comments.

### References

[1] E. Agrell, T. Eriksson, A. Vardy, and K. Zeger. Closest point search in lattices. IEEE Trans. Information Theory, IT-48:2201–2214, Aug. 2002.

- [2] A. Barg and G. D. Forney, Jr. Random codes: Minimum distances and error exponents. *IEEE Trans. Information Theory*, IT-48:2568–2573, Sept., 2002.
- [3] R. J. Barron, B. Chen, and G. W. Wornell. On the duality between information embedding and source coding with side information and some applications. In *Proc. Int. Symp. Inform. Theory (ISIT), Washington D.C.*, page 300, June 2001.
- [4] A. R. Calderbank. The art of signaling: fifty years of coding theory. *IEEE Trans. Information Theory*, IT-44:2561–2595, Oct. 1998.
- [5] J. H. Conway, E. M. Rains, and N. J. A. Sloane. On the existence of similar sublattices. *Canad. J. Math, submitted 1999*.
- [6] J. H. Conway and N. J. A. Sloane. Sphere Packings, Lattices and Groups. Springer-Verlag, New York, N.Y., 1988.
- [7] J. H. Conway and N. J. A. Sloane. Voronoi regions of lattices, second moments of polytopes, and quantization. *IEEE Trans. Information Theory*, IT-28:211– 226, Mar. 1982.
- [8] M. H. M. Costa. Writing on dirty paper. IEEE Trans. Information Theory, IT-29:439-441, May 1983.
- [9] R. de Buda. Some optimal codes have structure. *IEEE Journ. Selected Areas* in Comm., 7:893–899, Aug. 1989.
- [10] R. de Buda. The upper error bound of a new near-optimal code. *IEEE Trans. Information Theory*, IT-21:441–445, July 1975.
- [11] U. Erez, S. Litsyn, and R. Zamir. Lattices that are good for (almost) everything.

  IEEE Trans. Information Theory, submitted, May 2003.
- [12] U. Erez, S. Shamai (Shitz), and R. Zamir. Capacity and lattice strategies for cancelling known interference. *IEEE Trans. Information Theory*, submitted,

- June 2003. See also Proceedings of ISITA 2000, Honolulu, Hawaii, pages 681-684, Nov. 2000.
- [13] U. Erez and S. ten Brink. A close-to-capacity dirty paper coding scheme. *IEEE Trans. Information Theory*, submitted, Apr. 2004. See also, U. Erez and S. ten Brink, *Approaching the dirty paper limit for canceling known interference*, 41st Annual Allerton Conference on Communication, Control, and Computing, Allerton House, Monticello, Illinois, Oct. 1–3, 2003.
- [14] U. Erez and R. Zamir. Error exponents of modulo additive noise channels with side information at the transmitter. *IEEE Trans. Information Theory*, 47:210–218, Jan. 2001.
- [15] G. D. Forney, Jr. Multidimensional constellations Part II: Voronoi Constellations. IEEE Journal of Selected Areas in Communications, 7,6:941–958, Aug. 1989.
- [16] G. D. Forney, Jr. Trellis shaping. IEEE Trans. Information Theory, IT-38:281–300, Mar., 1992.
- [17] G. D. Forney, Jr. On the role of MMSE estimation in approaching the information- theoretic limits of linear Gaussian channels: Shannon meets Wiener. In 41st Annual Allerton Conference on Communication, Control, and Computing, Allerton House, Monticello, Illinois, Oct. 2003.
- [18] G. D. Forney, Jr. Coset codes-I: Introduction and geometrical classification.

  IEEE Trans. Information Theory, pages 1123–1151, Sept. 1988.
- [19] G. D. Forney, Jr., M. D. Trott, and S. Y. Chung. Sphere-bound-achieving coset codes and multilevel coset codes. *IEEE Trans. Information Theory*, IT-46:820– 850, May, 2000.
- [20] G. D. Forney, Jr. and G. Ungerboeck. Modulation and coding for linear Gaussian channels. *IEEE Trans. Information Theory*, IT-44:2384–2415, Oct. 1998.

- [21] R. G. Gallager. Information Theory and Reliable Communication. Wiley, New York, N.Y., 1968.
- [22] H. El Gamal, G. Caire, and M. O. Damen. On the role of MMSE in lattice decoding: achieving the optimal diversity-vs-multiplexing tradeoff. In 41st Annual Allerton Conference on Communication, Control, and Computing, Allerton House, Monticello, Illinois, October 1–3, 2003.
- [23] T. Linder, C. Schlegel, and K. Zeger. Corrected proof of de Buda's theorem. IEEE Trans. Information Theory, IT-39:1735–1737, Sept. 1993.
- [24] H. A. Loeliger. Averaging bounds for lattices and linear codes. *IEEE Trans. Information Theory*, 43:1767–1773, Nov. 1997.
- [25] T. Philosof, U. Erez, and R. Zamir. Combined shaping and precoding for interference cancellation at low SNR. In Proc. of Int. Symp. Inform. Theory (ISIT2003), Yokohama, Japan, page 68, June 2003.
- [26] G. Poltyrev. On coding without restrictions for the AWGN channel. *IEEE Trans. Information Theory*, IT-40:409-417, Mar. 94.
- [27] C. A. Rogers. *Packing and covering*. Cambridge University Press, Cambridge, 1964.
- [28] D. Slepian. Group codes for the Gaussian channel. *Bell Sys. Tech. Jour.*, 47:575–602, 1968.
- [29] R. Urbanke and B. Rimoldi. Lattice codes can achieve capacity on the AWGN channel. *IEEE Trans. Information Theory*, IT-44:273–278, Jan. 1998.
- [30] R. Zamir and M. Feder. On lattice quantization noise. *IEEE Trans. Information Theory*, IT-42:1152–1159, July 1996.

- [31] R. Zamir and M. Feder. On universal quantization by randomized uniform / lattice quantizer. *IEEE Trans. Information Theory*, pages 428–436, March 1992.
- [32] R. Zamir and M. Feder. Information rates of pre/post filtered dithered quantizers. *IEEE Trans. Information Theory*, pages 1340–1353, Sept. 1996.
- [33] R. Zamir, S. Shamai (Shitz), and U. Erez. Nested linear/lattice codes for structured multiterminal binning. *IEEE Trans. Information Theory*, IT-48:1250 –1276, June 2002.

## List of Figures

- 1. Nested lattices of ratio three.
- 2. Encoding/Decoding scheme.
- 3. Equivalent modulo-additive noise channel. Addition is modulo  $\Lambda$ .
- 4. Regular slicer (ML), lattice quantizer decoder and inflated quantizer decoder.
- 5. Comparison of performance of regular slicer, standard (un-scaled) lattice quantizer and inflated lattice quantizer. The dashed lines correspond to inflated lattice quantizers with fixed values of  $\alpha = 0.1, 0.2, \dots, 1$ .
- 6. Inflated lattice decoder. bold lines=Voronoi regions of original lattice code; thin lines=decoding regions of the inflated lattice; small circles= actual transmitted codewords; bold circles=inflated (imaginary) codebook.
- 7. Comparison of the (lower bounds to) error exponents of the power constrained AWGN channel (dashed line) and the Poltyrev exponent (solid line). The circles in the figure separate the expurgated, straight line, and random coding part of the curves respectively.
- 8. Comparison of random coding exponent of the power constrained AWGN channel (solid line) and the Poltyrev random coding exponent (dashed line). The curves depicted are all above the *critical* rates of the respective channels.

### List of Footnotes

- 1. Note that the orthogonality principle implies  $\tilde{X}-X\perp \tilde{X}$  but not  $\tilde{X}-X\perp X$ .
- 2. It is interesting to note that the information rate of  $\frac{1}{2}\log(2\pi eP_X) h(N)$  is achievable with  $\alpha = 1$  even when N = Y X is not independent of X.
- 3. Inspired by a preprint of our work, Forney suggested to view this as a canonical model which connects between Wiener theory and Shannon theory [17].
- 4. We use here the (popular) term "decoding metric" loosely, as the distance measure induced by ML decoding is not necessarily a metric.
- 5. Conway and Sloane's original definition [7] was limited to self-similar lattices. Forney's Voronoi codes, allow, by construction, any nesting relation. Here we prefer to use the name "nested codes", which links to the more general context of structured binning [33].
- 6. In some publications the coarse lattice is denoted  $\Lambda_s$  (for shaping) or  $\Lambda_q$  (for quantization), while the fine lattice is denoted  $\Lambda_c$  (for coding).
- 7. In fact, **c** may be replaced by any member of the coset  $\Lambda_{\mathbf{c}}$ .
- 8. Note that Ω<sub>1</sub>\* is not uniquely defined by (42) as ties may be broken in different ways. One possibility is to take Ω<sub>1</sub>\* to be the union of all points either satisfying (42) with strict inequality, or in case of a tie, belonging to the Voronoi region V<sub>1</sub>.
- 9. The term "inflated" will be explained later in this section.
- 10. The term VNR was coined in [19] where it is denoted by  $\alpha^2$ . In [26]  $2\pi e\mu$  is called the generalized signal to noise ratio and is denoted by  $\mu$ , i.e, Poltyrev's  $\mu$  differs from ours by a factor of  $2\pi e$ .

11. Unfortunately, unlike for the case of capacity (corresponding to regular entropy, i.e., Rényi entropy of order  $\bar{\rho}=1$ ), there seems to be no direct way to bound the difference between  $\frac{1}{n}h_{\bar{\rho}}(\mathbf{N}')$  and  $h_{\bar{\rho}}(Z)$  in terms of  $\log(2\pi eG(\Lambda))$ .

## Ram Zamir: a Biography

Ram Zamir was born in Ramat-Gan, Israel in 1961. He received the B.Sc., M.Sc. (summa cum laude) and D.Sc. (with distinction) degrees from Tel-Aviv University, Israel, in 1983, 1991, and 1994, respectively, all in electrical engineering. In the years 1994 - 1996 he spent a post-doctoral period at Cornell University, Ithaca, NY, and at the University of California, Santa Barbara. Since 1996 he has been with the department of Elect. Eng. - Systems at Tel Aviv University. Dr. Zamir has been consulting in the areas of radar and communications, mainly in developing algorithms and in the design of signals, and has been teaching information theory, communications systems and communications circuits at Tel Aviv University.

Dr. Zamir received the Israel Ministry of Communications Award in 1993, and the Wolfson Post-Doctoral Research Award in 1994, and visited the Technical University of Budapest under a joint program of the Israeli and Hungarian academies of science in summer 1995. His research interests include information theory, communication and remote sensing systems, and signal processing. He served as an Associate Editor for Source Coding in the IEEE tr. on Information Theory (2001-2003).

## Uri Erez: a Biography

Uri Erez was born in Tel-Aviv, Israel, on October 27, 1971. He received the B.Sc. degree in mathematics and physics and the M.Sc. and Ph.D. degrees in electrical engineering from Tel-Aviv University in 1996, 1999 and 2003, respectively. He is currently a Postdoctoral Associate at the Signals, Information and Algorithms Laboratory at MIT. His research interests include information theory, digital communications, and signal processing.